



Republic of the Philippines
 Department of Agriculture
 Bureau of Fisheries and Aquatic Resources
BIDS AND AWARDS COMMITTEE OFFICE
 3/F PCA Bldg., Elliptical Road, Diliman, Quezon City, Philippines 1101
 Tel. No.: +02. 332. 4661 website: www.bfar.da.gov.ph e-mail: bfarbac2013sec@gmail.com

SUPPLEMENTAL BID BULLETIN 01

March 22, 2021

**SUBJECT: Bid Reference No: 2020-45A
 SUPPLY AND DELIVERY OF EQUIPMENT FOR THE KOREA-PHILIPPINES-
 SEAFOOD PROCESSING COMPLEX AT THE BFAR-NIFTDC (Re-bid)**

This Supplemental Bid Bulletin No. 01 is issued to all participating bidders to clarify, amend and/or modify certain provisions and requirements set forth under the above-entitled procurement project:

Invitation to Bid

FROM/ Bidder's Inquiry				TO/ BFAR Response			
Lot no.	Description	Approved Budget for the Contract (ABC) (Php)	Bidding Documents Fee (Php)	Lot no.	Description	Approved Budget for the Contract (ABC) (Php)	Bidding Documents Fee (Php)
1	Lifting Equipment	407,250	Php 500	1	Lifting Equipment	407,250	Php 500
2	Food Processing Equipment and Refrigeration Equipment	657,750	Php 700	2	Food Processing Equipment	134,750	Php 200
3	Cold Storage and Conveyor Equipment	280,000	Php 500	3	Security Surveillance System	110,000	Php 200
4	Hygiene and Sanitation Monitoring System	320,000	Php 500	4	Refrigeration System and Storage	413,000	Php 500
				5	Cold Storage and Conveyor Equipment	280,000	Php 300
				6	Hygiene and Sanitation Monitoring System	320,000	Php 350
TOTAL		Php 1,665,000	Php 2,100.00	TOTAL		Php 1,665,000.00	Php 2,050.00

Bid Data Sheet

5.3 For this purpose, contracts similar to the Project shall be:

Lot 1	Supply and Delivery of Lifting Equipment
Lot 2	Supply and Delivery of Food Processing Equipment and Refrigeration Equipment
Lot 3	Supply and Delivery of Cold Storage and Conveyor Equipment
Lot 4	Supply and Delivery of Hygiene and Sanitation Monitoring System

5.3 For this purpose, contracts similar to the Project shall be:

Lot 1	Supply and Delivery of Lifting Equipment
Lot 2	Supply and Delivery of Food Processing Equipment
Lot 3	Supply, delivery and installation of security surveillance system
Lot 4	Supply, delivery and installation of refrigeration system and equipment
Lot 5	Supply and Delivery of Cold Storage and Conveyor Equipment
Lot 6	Supply and Delivery of Hygiene and Sanitation Monitoring System

14.1 The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:

- a. The amount of not less than **Php** [two percent (2%) of ABC], if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or

Lot 1	8,145.00
Lot 2	13,155.00
Lot 3	5,600.00
Lot 4	6,400.00
Total	33,300.00

- b. The amount of not less than **Php** [five percent (5%) of ABC], if bid security is in Surety Bond.

Lot 1	20,362.50
Lot 2	32,887.50
Lot 3	14,000.00
Lot 4	16,000.00

14.1 The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:

- c. The amount of not less than **Php** [two percent (2%) of ABC], if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or

Lot 1	8,145.00
Lot 2	2,695.00
Lot 3	2,200.00
Lot 4	8,260.00
Lot 5	5,600.00
Lot 6	6,400.00
Total	33,300.00

- d. The amount of not less than **Php** [five percent (5%) of ABC], if bid security is in Surety Bond.

Lot 1	20,362.50
Lot 2	6,737,50
Lot 3	5,500.00
Lot 4	20,650.00

Total	83,250.00
-------	------------------

Lot 5	14,000.00
Lot 6	16,000.00
Total	83,250.00

Technical Specifications:

Lot No. 2: Food Processing Equipment and Refrigeration Equipment

Approved Budget for the Contract (ABC): Php 657,750.00

Item	Qty	Unit
SPLIT TYPE ACU, CEILING SUSPENDED 2 Hp, INVERTER Include all parts and installation	2	units
WINDOW TYPE ACU 2 Hp, INVERTER Include all parts and installation	4	units
Electric meat mincer/grinder TS-102AL	1	unit
Security Surveillance System 16- Channel NVR System with 16 HD IP Camera and NVR recorder, 8 TB Storage, 32 in. HD TV Monitor. Inclusive of Installation and Testing.	1	unit
2 Door Refrigerator 9cu.ft inverter type	1	unit
Platform Digital Weighing Scale Stainless steel 0.2 x 100kg	1	unit

Lot No. 2: Food Processing Equipment

Approved Budget for the Contract (ABC): Php 134,750

Item	Qty	Unit
SPLIT TYPE ACU, CEILING SUSPENDED 2 Hp, INVERTER Include all parts and installation	2	units
WINDOW TYPE ACU 2 Hp, INVERTER Include all parts and installation	4	units
Security Surveillance System 16- Channel NVR System with 16 HD IP Camera and NVR recorder, 8 TB Storage, 32 in. HD TV Monitor. Inclusive of Installation and Testing.	1	unit
2 Door Refrigerator 9cu.ft inverter type	1	unit
Platform Digital	1	unit

Pressure Cooker 41 liter/Quart Pressure Canner Autoclave US made heavy duty	2	units	Weighing Scale Stainless steel 0.2 x 100kg		
			Pressure Cooker 41 liter/Quart Pressure Canner Autoclave US made heavy duty	2	units
			Electric meat mincer/grinder TS-102AL	1	unit
Lot No. 3: Cold Storage and Conveyor Equipment Approved Budget for the Contract (ABC): Php 280,000			Lot 3: Security Surveillance System Approved Budget for the Contract (ABC): Php 110,000.00		
Item	Qty	Unit	Item	Qty	Unit
2 LAYER COLD STORAGE RACK SYSTEM Galvanized Steel Materials 10 Tons Capacity Storage Floor Area & Height: (L*W*H) 11.0m x 7.0m x 4.0m	1	unit	Security Surveillance System 16- Channel NVR System with 16 HD IP Camera and NVR recorder, 8 TB Storage, 32 in. HD TV Monitor. Inclusive of Installation and Testing.	1	unit
CONVEYOR BELT TYPE (STAINLESS STEEL) Food Grade PU Belt Materials 400mmX2000mmX750mm	2	units			
Lot No. 4: Hygiene and Sanitation Monitoring System Approved Budget for the Contract (ABC): Php 320,000.00			Lot No. 4: Refrigeration System and Storage Approved Budget for the Contract (ABC): Php 413,000.00		
Item	Qty	Unit	Item	Qty	Unit
HYGIENE AND SANITATION MONITORING SYSTEM Hygiene and Sanitation			SPLIT TYPE ACU, CEILING SUSPENDED 2 Hp, INVERTER Include all parts and installation	2	units

<p>Monitoring Kit</p> <p>Inclusion:</p> <p>1 set advance luminometer</p> <p>1 unit CD Data Manager Software</p> <p>1 Software guide</p> <p>1 unit user guide</p> <p>1unit quick reference guide</p> <p>1 unit sampler extender</p> <p>1 kit surface sampler</p> <p>1 kit access sampler</p> <p>1kit water sampler</p> <p>1 8z. bottle glo-germ lotion</p> <p>1 4oz. bottle glo-germ powder</p> <p>4 UV lamp batteries</p> <p>1 glo-germ case</p> <p>1 glo-box with UV lamp</p> <p>Technical Specifications:</p> <p>Read time: <20s</p> <p>Display units: RLU</p> <p>No. of test sites:999 sites</p> <p>No. of users: 60 users</p> <p>Battery life: 15 hours</p> <p>Weight: 362g</p> <p>Samplers storage:2-8 deg Celsius/ 2 weeks RT</p> <p>Software: Data Manager 3.6.2; AP Advanced firmware v3,2.7</p> <p>With operational RFID technology</p> <p>Self-calibrating system with 14 sites calibration every start-up</p> <p>Uses sponge and cutter technology for samplers</p> <p>Color coded samplers:</p> <p>Liquid State Enzyme Solution</p> <p>Surface Sampler: Patented Flat headed design</p> <p>Access sampler: Features a rigid flocked polymer sample tip</p>			<p>WINDOW TYPE ACU</p> <p>2 Hp, INVERTER</p> <p>Include all parts and installation</p>	<p>4</p> <p>1</p>	<p>units</p> <p>unit</p>
---	--	--	---	-------------------	--------------------------

<p>Water sampler: for CIP rinses</p> <p>FEATURES and BENEFITS:</p> <p>READER Robust unit to virtually test everywhere; Improved power saving features. Uses silicon photodiode as light detector: 0 background reading: less fragile than photo multiplier; Unique RLU scale detects small differences to identify baseline deviations. High data storage capacity: 4000 test point, 99 users, 999 test sites. Full complement of self-test diagnostics at start-up (14-site check). Self- calibration prompt. Reader with optional RFID Technology.</p> <p>SAMPLERS: Liquid stable enzyme solution: Higher precision and sensitivity Improved activation: One-hand activation; 50% less activation force; Simple 2 second mix Color coded samplers: Easier differentiation Uses cutter Technology- prevents underestimation Uses sponge technology: Higher recovery of ATP and biofilm breakthrough</p> <p>APPROVALS: AOAC Approved NSE Validated</p>			
			<p>Lot No. 5: Cold Storage and Conveyor Equipment</p> <p>Approved Budget for the Contract</p>

	<p>(ABC): Php 280,000.00</p> <table border="1"> <thead> <tr> <th data-bbox="810 241 1225 277">Item</th> <th data-bbox="1225 241 1302 277">Qty</th> <th data-bbox="1302 241 1401 277">Unit</th> </tr> </thead> <tbody> <tr> <td data-bbox="810 277 1225 611"> 2 LAYER COLD STORAGE RACK SYSTEM Galvanized Steel Materials 10 Tons Capacity Storage Floor Area & Height: (L*W*H) 11.0m x 7.0m x 4.0m </td> <td data-bbox="1225 277 1302 611">1</td> <td data-bbox="1302 277 1401 611">unit</td> </tr> <tr> <td data-bbox="810 611 1225 831"> CONVEYOR BELT TYPE (STAINLESS STEEL) Food Grade PU Belt Materials 400mmX2000mmX750mm </td> <td data-bbox="1225 611 1302 831">2</td> <td data-bbox="1302 611 1401 831">units</td> </tr> </tbody> </table>	Item	Qty	Unit	2 LAYER COLD STORAGE RACK SYSTEM Galvanized Steel Materials 10 Tons Capacity Storage Floor Area & Height: (L*W*H) 11.0m x 7.0m x 4.0m	1	unit	CONVEYOR BELT TYPE (STAINLESS STEEL) Food Grade PU Belt Materials 400mmX2000mmX750mm	2	units
Item	Qty	Unit								
2 LAYER COLD STORAGE RACK SYSTEM Galvanized Steel Materials 10 Tons Capacity Storage Floor Area & Height: (L*W*H) 11.0m x 7.0m x 4.0m	1	unit								
CONVEYOR BELT TYPE (STAINLESS STEEL) Food Grade PU Belt Materials 400mmX2000mmX750mm	2	units								
	<p>Lot No. 6: Hygiene and Sanitation Monitoring System</p> <p>Approved Budget for the Contract (ABC): Php 320,000.00</p> <table border="1"> <thead> <tr> <th data-bbox="810 1061 1209 1097">Item</th> <th data-bbox="1209 1061 1292 1097">Qty</th> <th data-bbox="1292 1061 1401 1097">Unit</th> </tr> </thead> <tbody> <tr> <td data-bbox="810 1097 1209 2051"> HYGIENE AND SANITATION MONITORING SYSTEM Hygiene and Sanitation Monitoring Kit Inclusion: 1 set advance luminometer 1 unit CD Data Manager Software 1 Software guide 1 unit user guide 1unit quick reference guide 1 unit sampler extender 1 kit surface sampler 1 kit access sampler 1kit water sampler 1 8z. bottle glo-germ lotion 1 8oz 1 4oz. bottle glo-germ powder 4 UV lamp batteries </td> <td data-bbox="1209 1097 1292 2051"></td> <td data-bbox="1292 1097 1401 2051"></td> </tr> </tbody> </table>	Item	Qty	Unit	HYGIENE AND SANITATION MONITORING SYSTEM Hygiene and Sanitation Monitoring Kit Inclusion: 1 set advance luminometer 1 unit CD Data Manager Software 1 Software guide 1 unit user guide 1unit quick reference guide 1 unit sampler extender 1 kit surface sampler 1 kit access sampler 1kit water sampler 1 8z. bottle glo-germ lotion 1 8oz 1 4oz. bottle glo-germ powder 4 UV lamp batteries					
Item	Qty	Unit								
HYGIENE AND SANITATION MONITORING SYSTEM Hygiene and Sanitation Monitoring Kit Inclusion: 1 set advance luminometer 1 unit CD Data Manager Software 1 Software guide 1 unit user guide 1unit quick reference guide 1 unit sampler extender 1 kit surface sampler 1 kit access sampler 1kit water sampler 1 8z. bottle glo-germ lotion 1 8oz 1 4oz. bottle glo-germ powder 4 UV lamp batteries										

	<p>1 glo-germ case 1 glo-box with UV lamp Technical Specifications: Read time: <20s Display units: RLU No. of test sites:999 sites No. of users: 60 users Battery life: 15 hours Weight: 362g Samplers storage:2-8 deg Celsius/ 2 weeks RT Software: Data Manager 3.6.2; AP Advanced firmware v3,2.7</p> <p>With operational RFID technology Self-calibrating system with 14 sites calibration every start-up Uses sponge and cutter technology for samplers Color coded samplers: Liquid State Enzyme Solution Surface Sampler: Patented Flat headed design Access sampler: Features a rigid flocked polymer sample tip Water sampler: for CIP rinses</p> <p>FEATURES and BENEFITS:</p> <p>READER Robust unit to virtually test everywhere; Improved power saving features. Uses silicon photodiode as light detector: 0 background reading: less fragile than photo multiplier; Unique RLU scale detects small differences to identify baseline deviations. High data storage capacity: 4000 test point, 99 users, 999 test sites.</p>		
--	--	--	--

	<p>Full complement of self-test diagnostics at start-up (14-site check). Self- calibration prompt. Reader with optional RFID Technology. SAMPLERS: Liquid stable enzyme solution: Higher precision and sensitivity Improved activation: One-hand activation; 50% less activation force; Simple 2 second mix Color coded samplers: Easier differentiation Uses cutter Technology- prevents underestimation Uses sponge technology: Higher recovery of ATP and biofilm breakthrough</p> <p>APPROVALS: AOAC Approved NSE Validated</p>		
--	---	--	--

****nothing follows****

All other portions of the Bidding Documents affected by these amendments shall be made to conform the same.

Amendments/inclusions/clarifications made herein shall be considered an integral part of the Bidding Documents.

The changes made in the Philippine Bidding Documents (6th Edition, July 2020) are deemed integrated in terms and conditions for this project.

For further inquiries, please coordinate/call the Bids and Awards Committee Secretariat at Tel. No. 8332-4661 or bfarbac2018@gmail.com or bac.eps@bfar.da.gov.ph.

Please be guided accordingly.

ORIGINAL SIGNED

ATTY. DEMOSTHENES R. ESCOTO

Chairman, Bids and Awards Committee