


Shellfish Bulletin No. 01 Series of 2018

12 January 2018

Based on the latest laboratory results of the Bureau of Fisheries and Aquatic Resources (BFAR) and Local Government Units (LGUs), shellfishes collected at Irong-Irong, Maqueda and Villareal Bays in Western Samar; Matarinao Bay in Eastern Samar; Coastal waters of Leyte and Carigara Bay in Leyte; Lianga Bay in Surigao del Sur; Honda Bay, Puerto Princesa City in Palawan; Coastal waters of Mandaon in Masbate; and Coastal waters of Bataan (Mariveles, Limay, Orion, Pilar, Balanga, Orani, Abucay and Samal) are still positive for paralytic shellfish poison that is beyond the regulatory limit.



All types of shellfish and Acetes sp. or alamang gathered from the area shown above are NOT SAFE for human consumption. Fish, squids, shrimps and crabs are safe for human consumption provided that they are fresh and washed thoroughly, and internal organs such as gills and intestines are removed before cooking.


The following areas continue to be **FREE from toxic red tides**: coastal waters of Cavite, Las Piñas, Parañaque, Navotas and Bulacan in Manila Bay; coastal waters of Bolinao, Anda, Alaminos, Sual and Wawa, Bani in Pangasinan; Masinloc Bay in Zambales; coastal waters of Milagros and Placer in Masbate; Juag Lagoon, Matnog and Sorsogon Bay in Sorsogon; Puerto Princesa Bay, Puerto Princesa City and coastal waters of Inner Malampaya Sound, Taytay in Palawan; coastal waters of Gigantes Islands, Carles in Iloilo; coastal waters of Pilar, Panay, President Roxas, Roxas City in Capiz and Sapian Bay (Ivisan and Sapian in Capiz; Mambuquiao and Camanci in Batan, Aklan); Batan Bay and coastal waters of Altavas and New Washington in Aklan; coastal waters of E.B. Magalona, Talisay City, Silay City, Bacolod City, Hinigaran and Victorias City in Negros Occidental; Tambobo and Silt Bays, Siaton and Bais Bay, Bais City in Negros Oriental; coastal waters of Dauis and Tagbilaran City in Bohol; San Pedro and Cancabato Bays, Tacloban City and coastal waters of Calubian in Leyte; coastal waters of Biliran Province; Dumanquillas Bay in Zamboanga del Sur; Tantanang Bay in Zamboanga Sibugay; Murcielagos Bay in Zamboanga del Norte and Misamis Occidental; Taguines Lagoon, Benoni, Mahinog in Camiguin Island; Balite Bay, Mati in Davao Oriental; and Hinatuan and Bislig Bays in Surigao del Sur. **Moreover, Coastal waters of Daram Island and Cambatutay Bay in Western Samar are now free of the toxic red tides.**



Shellfish Bulletin No. 02 Series of 2018

15 January 2018

Based on the latest laboratory results of the Bureau of Fisheries and Aquatic Resources (BFAR) and Local Government Units (LGUs), shellfishes collected at Irong-Irong Bay in Western Samar; Matarinao Bay in Eastern Samar; Coastal waters of Leyte and Carigara Bay in Leyte; Lianga Bay in Surigao del Sur; Honda Bay, Puerto Princesa City in Palawan; Coastal waters of Mandaon in Masbate; and Coastal waters of Bataan (Mariveles, Limay, Orion, Pilar, Balanga, Orani, Abucay and Samal) are still positive for paralytic shellfish poison that is beyond the regulatory limit.



All types of shellfish and Acetes sp. or alamang gathered from the area shown above are NOT SAFE for human consumption. Fish, squids, shrimps and crabs are safe for human consumption provided that they are fresh and washed thoroughly, and internal organs such as gills and intestines are removed before cooking.

The following areas continue to be FREE from toxic red tides: coastal waters of Cavite, Las Piñas, Parañaque, Navotas and Bulacan in Manila Bay; coastal waters of Bolinao, Anda, Alaminos, Sual and Wawa, Bani in Pangasinan; Masinloc Bay in Zambales; coastal waters of Milagros and Placer in Masbate; Juag Lagoon, Matnog and Sorsogon Bay in Sorsogon; Puerto Princesa Bay, Puerto Princesa City and coastal waters of Inner Malampaya Sound, Taytay in Palawan; coastal waters of Gigantes Islands, Carles in Iloilo; coastal waters of Pilar, Panay, President Roxas, Roxas City in Capiz and Saplan Bay (Ivisan and Sapian in Capiz; Mambuquiao and Camanci in Batan, Aklan); Batan Bay and coastal waters of Altavas and New Washington in Aklan; coastal waters of E.B. Magalona, Talisay City, Silay City, Bacolod City, Hinigaran and Victorias City in Negros Occidental; Tambobo and Siit Bays, Siaton and Bais Bay, Bais City in Negros Oriental; coastal waters of Dauis and Tagbilaran City in Bohol; coastal waters of Daram Island and Cambatutay Bay in Western Samar; San Pedro and Cancabato Bays, Tacloban City and coastal waters of Calubian in Leyte; coastal waters of Biliran Province; Dumanquillas Bay in Zamboanga del Sur; Tantanang Bay in Zamboanga Sibugay; Murcielagos Bay in Zamboanga del Norte and Misamis Occidental; Taguines Lagoon, Benoni, Mahinog in Camiguin Island; Balite Bay, Mati in Davao Oriental; and Hinatuan and Bislig Bays in Surigao del Sur. Moreover, Maqueda and Villareal Bays in Western Samar are now free of the toxic red tides.




BUREAU OF FISHERIES AND AQUATIC RESOURCES

3rd Floor, PCA Annex Building, Elliptical Road, Diliman , Quezon City Tel. No. +632 929-9597, +632 929-8074, +632 929-4894

Fax No. +632 929-8074, +632 929-4894

Shellfish Bulletin No. 03 Series of 2018 29 January 2018

Based on the latest laboratory results of the Bureau of Fisheries and Aquatic Resources (BFAR) and Local Government Units (LGUs), shellfishes collected at Irong-Irong Bay in Western Samar; Matarinao Bay in Eastern Samar; Coastal waters of Leyte and Carigara Bay in Leyte; Lianga Bay in Surigao del Sur; Honda Bay, Puerto Princesa City in Palawan; and Coastal waters of Bataan (Mariveles, Limay, Orion, Pilar, Balanga, Orani, Abucay and Samal) are still positive for paralytic shellfish poison that is beyond the regulatory limit.



All types of shellfish and Acetes sp. or alamang gathered from the area shown above are NOT SAFE for human consumption. Fish, squids, shrimps and crabs are safe for human consumption provided that they are fresh and washed thoroughly, and internal organs such as gills and intestines are removed before cooking.

The following areas continue to be **FREE from toxic red tides**: coastal waters of Cavite, Las Piñas, Parañaque, Navotas and Bulacan in Manila Bay; coastal waters of Bolinao, Anda, Alaminos, Sual and Wawa, Bani in Pangasinan; Masinloc Bay in Zambales; coastal waters of Milagros and Placer in Masbate; Juag Lagoon, Matnog and Sorsogon Bay in Sorsogon; Puerto Princesa Bay, Puerto Princesa City and coastal waters of Inner Malampaya Sound, Taytay in Palawan; coastal waters of Gigantes Islands, Carles in Iloilo; coastal waters of Pilar, Panay, President Roxas, Roxas City in Capiz and Sapian Bay (Ivisan and Sapian in Capiz; Mambuquiao and Camanci in Batan, Aklan); coastal waters of E.B. Magalona, Talisay City, Silay City, Bacolod City, Hinlgaran and Victorias City in Negros Occidental; Tambobo and Siit Bays, Slaton and Bais Bay, Bals City in Negros Oriental; coastal waters of Dauis and Tagbilaran City in Bohol; coastal waters of Daram Island, Maqueda, Villareal and Cambatutay Bays in Western Samar; San Pedro and Cancabato Bays, Tacloban City and coastal waters of Calubian in Leyte; coastal waters of Biliran Province; Dumanquillas Bay in Zamboanga del Sur; Tantanang Bay in Zamboanga Sibugay; Murcielagos Bay in Zamboanga del Norte and Misamis Occidental; Taguines Lagoon, Benoni, Mahinog in Camiguin Island; Balite Bay, Mati in Davao Oriental; and Hinatuan and Bislig Bays in Surigao del Sur. **Moreover, Coastal waters of Mandaon in Masbate is now free of the toxic red tides.**



Shellfish Bulletin No. 04 Series of 2018

30 January 2018

Based on the latest laboratory results of the Bureau of Fisheries and Aquatic Resources (BFAR) and Local Government Units (LGUs), shellfishes collected at Irong-Irong Bay in Western Samar; Matarinao Bay in Eastern Samar; Coastal waters of Leyte and Carigara Bay in Leyte; Lianga Bay in Surigao del Sur; Honda Bay, Puerto Princesa City in Palawan; and Coastal waters of Bataan (Mariveles, Limay, Orion, Pilar, Balanga, Orani, Abucay and Samal) are still positive for paralytic shellfish poison that is beyond the regulatory limit. Moreover, Coastal waters of Milagros in Masbate is now positive for red tide toxin.



All types of shellfish and Acetes sp. or alamang gathered from the area shown above are NOT SAFE for human consumption. Fish, squids, shrimps and crabs are safe for human consumption provided that they are fresh and washed thoroughly, and internal organs such as gills and intestines are removed before cooking.

The following areas continue to be FREE from toxic red tides: coastal waters of Cavite, Las Piñas, Parañaque, Navotas and Bulacan in Manila Bay; coastal waters of Bolinao, Anda, Alaminos, Sual and Wawa, Bani in Pangasinan; Masinloc Bay in Zambales; coastal waters of Mandaon and Placer in Masbate; Juag Lagoon, Matnog and Sorsogon Bay in Sorsogon; Puerto Princesa Bay, Puerto Princesa City and coastal waters of Inner Malampaya Sound, Taytay in Palawan; coastal waters of Gigantes Islands, Carles in Iloilo; coastal waters of Pilar, Panay, President Roxas, Roxas City in Capiz and Sapian Bay (Ivisan and Sapian in Capiz; Mambuquiao and Camanci in Batan, Aklan); coastal waters of E.B. Magalona, Talisay City, Silay City, Bacolod City, Hinigaran and Victorias City in Negros Occidental; Tambobo and Silt Bays, Slaton and Bais Bay, Bais City in Negros Oriental; coastal waters of Dauis and Tagbilaran City in Bohol; coastal waters of Daram Island, Maqueda, Villareal and Cambatutay Bays in Western Samar; San Pedro and Cancabato Bays, Tacloban City and coastal waters of Calubian in Leyte; coastal waters of Billiran Province; Dumanquillas Bay in Zamboanga del Sur; Tantanang Bay in Zamboanga Sibugay; Murcielagos Bay in Zamboanga del Norte and Misamis Occidental; Taguines Lagoon, Benoni, Mahinog in Camiguin Island; Balite Bay, Mati in Davao Oriental; and Hinatuan and Bislig Bays in Surigao del Sur.



Shellfish Bulletin No. 05 Series of 2018

01 February 2018

Based on the latest laboratory results of the Bureau of Fisheries and Aquatic Resources (BFAR) and Local Government Units (LGUs), shellfishes collected at Irong-Irong Bay in Western Samar; Coastal waters of Leyte and Carigara Bay in Leyte; Lianga Bay in Surigao del Sur; Honda Bay, Puerto Princesa City in Palawan; Coastal waters of Milagros in Masbate and Coastal waters of Bataan (Mariveles, Limay, Orion, Pilar, Balanga, Orani, Abucay and Samal) are still positive for paralytic shellfish polson that is beyond the regulatory limit.



All types of shellfish and Acetes sp. or alamang gathered from the area shown above are NOT SAFE for human consumption. Fish, squids, shrimps and crabs are safe for human consumption provided that they are fresh and washed thoroughly, and internal organs such as gills and intestines are removed before cooking.

The following areas continue to be FREE from toxic red tides: coastal waters of Cavite, Las Piñas, Parañaque, Navotas and Bulacan in Manila Bay; coastal waters of Bolinao, Anda, Alaminos, Sual and Wawa, Bani in Pangasinan; Masinloc Bay in Zambales; coastal waters of Mandaon and Placer in Masbate; Juag Lagoon, Matnog and Sorsogon Bay in Sorsogon; Puerto Princesa Bay, Puerto Princesa City and coastal waters of Inner Malampaya Sound, Taytay in Palawan; coastal waters of Gigantes Islands, Carles in Iloilo; coastal waters of Pilar, Panay, President Roxes, Roxas City in Capiz and Sapian Bay (Ivisan and Sapian in Capiz; Mambuquiao and Camanci in Batan, Aklan); coastal waters of E.B. Magalona, Talisay City, Silay City, Bacolod City, Hinigaran and Victorias City in Negros Occidental; Tambobo and Silt Bays, Slaton and Bais Bay, Bais City in Negros Oriental; coastal waters of Dauis and Tagbilaran City in Bohol; coastal waters of Daram Island, Maqueda, Villareal and Cambatutay Bays in Western Samar; San Pedro and Cancabato Bays, Tacloban City and coastal waters of Calubian in Leyte; coastal waters of Biliran Province; Dumanquillas Bay in Zamboanga del Sur; Tantanang Bay in Zamboanga Sibugay; Murcielagos Bay in Zamboanga del Norte and Misamis Occidental; Taguines Lagoon, Benoni, Mahinog in Camiguin Island; Balite Bay, Mati in Davao Oriental; and Hinatuan and Bislig Bays in Surigao del Sur. Moreover, Matarinao Bay in Eastern Samar is now free of the toxic red tides.



Shellfish Bulletin No. 06 Series of 2018 15 February 2018

Based on the latest laboratory results of the Bureau of Fisheries and Aquatic Resources (BFAR) and Local Government Units (LGUs), shellfishes collected at Irong-Irong Bay in Western Samar; Coastal waters of Leyte and Carigara Bay in Leyte; Lianga Bay in Surigao del Sur; Honda Bay, Puerto Princesa City in Palawan; and Coastal waters of Milagros in Masbate are still positive for paralytic shellfish poison that is beyond the regulatory limit.



All types of shellfish and Acetes sp. or alamang gathered from the area shown above are NOT SAFE for human consumption. Fish, squids, shrimps and crabs are safe for human consumption provided that they are fresh and washed thoroughly, and internal organs such as gills and intestines are removed before cooking.

The following areas continue to be FREE from toxic red tides: coastal waters of Cavite, Las Piñas, Parañaque, Navotas and Bulacan in Manila Bay; coastal waters of Bolinao, Anda, Alaminos, Sual and Wawa, Bani in Pangasinan; Masinloc Bay in Zambales; coastal waters of Mandaon and Placer in Masbate; Juag Lagoon, Matnog and Sorsogon Bay in Sorsogon; Puerto Princesa Bay, Puerto Princesa City and coastal waters of Inner Malampaya Sound, Taytay in Palawan; coastal waters of Gigantes Islands, Carles in Iloilo; coastal waters of Pilar, Panay, President Roxas, Roxas City in Capiz and Sapian Bay (Ivisan and Sapian in Capiz; Mambuquiao and Camanci in Batan, Aklan); Batan Bay and coastal waters of Altavas and New Washington in Aklan; coastal waters of E.B. Magalona, Talisay City, Silay City, Bacolod City, Hinigaran and Victorias City in Negros Occidental; Tambobo and Siit Bays, Siaton and Bais Bay, Bais City in Negros Oriental; coastal waters of Dauis and Tagbilaran City in Bohol; coastal waters of Daram Island, Maqueda, Villareal and Cambatutay Bays in Western Samar; Matarinao Bay in Eastern Samar; San Pedro and Cancabato Bays, Tacloban City and coastal waters of Calubian in Leyte; coastal waters of Biliran Province; Dumanquillas Bay in Zamboanga del Sur; Tantanang Bay in Zamboanga Sibugay; Murcielagos Bay in Zamboanga del Norte and Misamis Occidental; Taguines Lagoon, Benoni, Mahinog in Camiguin Island; Balite Bay, Mati in Davao Oriental; and Hinatuan and Bislig Bays in Surigao del Sur. Moreover, Coastal waters of Bataan (Mariveles, Limay, Orion, Pilar, Balanga, Orani, Abucay and Samal) is now free of the toxic red tides.



BUREAU OF FISHERIES AND AQUATIC RESOURCES 3rd Floor, PCA Annex Building, Elliptical Road, Diliman, Quezon City

Tel. No. +632 929-9597, +632 929-8074, +632 929-4894 Fax No. +632 929-8074, +632 929-4894

Shellfish Bulletin No. 07 Series of 2018

02 March 2018

Based on the latest laboratory results of the Bureau of Fisheries and Aquatic Resources (BFAR) and Local Government Units (LGUs), shellfishes collected at Irong-Irong Bay in Western Samar; Coastal waters of Leyte and Carigara Bay in Leyte; Lianga Bay in Surigao del Sur; Honda Bay, Puerto Princesa City in Palawan; and Coastal waters of Milagros in Masbate are still positive for paralytic shellfish poison that is beyond the regulatory limit. Moreover, Coastal waters of Biliran Province is now positive for red tide toxin.



All types of shellfish and Acetes sp. or alamang gathered from the area shown above are NOT SAFE for human consumption. Fish, squids, shrimps and crabs are safe for human consumption provided that they are fresh and washed thoroughly, and internal organs such as gills and intestines are removed before cooking.

The following areas continue to be FREE from toxic red tides: coastal waters of Cavite, Las Piñas, Parañaque, Navotas , Bulacan and Bataan (Mariveles, Limay, Orion, Pilar, Balanga, Orani, Abucay and Samal) in Manila Bay; coastal waters of Bolinao, Anda, Alaminos, Sual and Wawa, Bani in Pangasinan; Masinloc Bay in Zambales; coastal waters of Mandaon and Placer in Masbate; Juag Lagoon, Matnog and Sorsogon Bay in Sorsogon; Puerto Princesa Bay, Puerto Princesa City and coastal waters of Inner Malampaya Sound, Taytay in Palawan; coastal waters of Gigantes Islands, Carles in Iloilo; coastal waters of Pilar, Panay, President Roxas, Roxas City in Capiz and Sapian Bay (Ivisan and Sapian in Capiz; Mambuquiao and Camanci in Batan, Aklan); Batan Bay and coastal waters of Altavas and New Washington in Aklan; coastal waters of E.B. Magalona, Talisay City, Silay City, Bacolod City, Hinigaran and Victorias City in Negros Occidental; Tambobo and Silt Bays, Siaton and Bais Bay, Bais City in Negros Oriental; coastal waters of Dauis and Tagbilaran City in Bohol; coastal waters of Daram Island, Maqueda, Villareal and Cambatutay Bays in Western Samar; Matarinao Bay in Eastern Samar; San Pedro and Cancabato Bays, Tacloban City and coastal waters of Calubian in Leyte; Dumanquillas Bay in Zamboanga del Sur; Tantanang Bay in Zamboanga Sibugay; Murcielagos Bay in Zamboanga del Norte and Misamis Occidental; Taguines Lagoon, Benoni, Mahinog in Camiguin Island; Balite Bay, Mati in Davao Oriental; and Hinatuan and Bislig Bays in Surigao del Sur.



BUREAU OF FISHERIES AND AQUATIC RESOURCES

3rd Floor, PCA Annex Building, Elliptical Road, Diliman , Quezon City

Tel. No. +632 929-9597, +632 929-8074, +632 929-4894

Fax No. +632 929-8074, +632 929-4894

Shellfish Bulletin No. 08 Series of 2018

07 March 2018

Based on the latest laboratory results of the Bureau of Fisheries and Aquatic Resources (BFAR) and Local Government Units (LGUs), shellfishes collected at Irong-Irong Bay in Western Samar; Coastal waters of Leyte and Carigara Bay in Leyte; Lianga Bay in Surigao del Sur; and Coastal waters of Biliran Province are still positive for paralytic shellfish poison that is beyond the regulatory limit.



All types of shellfish and Acetes sp. or alamang gathered from the area shown above are NOT SAFE for human consumption. Fish, squids, shrimps and crabs are safe for human consumption provided that they are fresh and washed thoroughly, and internal organs such as gills and intestines are removed before cooking.

The following areas continue to be FREE from toxic red tides: coastal waters of Cavite, Las Piñas, Parañaque, Navotas , Bulacan and Bataan (Mariveles, Limay, Orion, Pilar, Balanga, Orani, Abucay and Samal) in Manila Bay; coastal waters of Bolinao, Anda, Alaminos, Sual and Wawa, Bani in Pangasinan; Masinloc Bay in Zambales; coastal waters of Mandaon and Placer in Masbate; Juag Lagoon, Matnog and Sorsogon Bay In Sorsogon; Puerto Princesa Bay, Puerto Princesa City and coastal waters of Inner Malampaya Sound, Taytay in Palawan; coastal waters of Gigantes Islands, Carles in Iloilo; coastal waters of Pilar, Panay, President Roxas, Roxas City in Capiz and Sapian Bay (Ivisan and Sapian in Capiz; Mambuquiao and Camanci in Batan, Aklan); Batan Bay and coastal waters of Altavas and New Washington in Aklan; coastal waters of E.B. Magalona, Tallsay City, Silay City, Bacolod City, Hinigaran and Victorias City in Negros Occidental; coastal waters of Dauis and Tagbilaran City in Bohol; coastal waters of Daram Island, Maqueda, Villareal and Cambatutay Bays in Western Samar; Matarinao Bay in Eastern Samar; San Pedro and Cancabato Bays, Tacloban City and coastal waters of Calubian in Leyte; Murcielagos Bay in Zamboanga del Norte and Misamis Occidental; Taguines Lagoon, Benoni, Mahinog in Camiguin Island; Balite Bay, Mati in Davao Oriental; and Hinatuan and Bislig Bays in Surigao del Sur. Moreover, Honda Bay, Puerto Princesa City in Palawan and Coastal waters of Milagros in Masbate are now free of the toxic red tides.

EDUARDO B. GONGONA

Undersecretary for Fisheries, DA/Director, BFAR




BUREAU OF FISHERIES AND AQUATIC RESOURCES

3rd Floor, PCA Annex Building, Elliptical Road, Diliman, Quezon City Tel. No. +632 929-9597, +632 929-8074, +632 929-4894 Fax No. +632 929-8074, +632 929-4894

Shellfish Bulletin No. 09 Series of 2018 20 March 2018

Based on the latest laboratory results of the Bureau of Fisheries and Aquatic Resources (BFAR) and Local Government Units (LGUs), shellfishes collected at Irong-Irong Bay in Western Samar; Coastal waters of Leyte and Carigara Bay in Leyte; Lianga Bay in Surigao del Sur; and Coastal waters of Biliran Province are still positive for paralytic shellfish poison that is beyond the regulatory limit. Moreover, Honda Bay, Puerto Princesa in Palawan is now positive for red tide toxin.



All types of shellfish and Acetes sp. or alamang gathered from the area shown above are NOT SAFE for human consumption. Fish, squids, shrimps and crabs are safe for human consumption provided that they are fresh and washed thoroughly, and internal organs such as gills and intestines are removed before cooking.

The following areas continue to be FREE from toxic red tides: coastal waters of Cavite, Las Piñas, Parañaque, Navotas, Bulacan and Bataan (Mariveles, Limay, Orion, Pilar, Balanga, Orani, Abucay and Samal) in Manila Bay; coastal waters of Bolinao, Anda, Alaminos, Sual and Wawa, Bani in Pangasinan; Masinloc Bay in Zambales; coastal waters of Milagros, Mandaon and Placer in Masbate; Juag Lagoon, Matnog and Sorsogon Bay in Sorsogon; Puerto Princesa Bay, Puerto Princesa City and coastal waters of Inner Malampaya Sound, Taytay in Palawan; coastal waters of Gigantes Islands, Carles in Iloilo; coastal waters of Pilar, Panay, President Roxas, Roxas City in Capiz and Sapian Bay (Ivisan and Sapian in Capiz; Mambuquiao and Camanci (b) Batan Aklan); Batan Bay and coastal waters of Altavas and New Washington in Aklan coastal waters of E.B. Magalona, Talisay City, Silay City, Bacolod City, Hinigaran and Victorias City in Negros Occidental; coastal waters of Dauis and Tagbilaran City in Bohol; coastal waters of Daram Island, Maqueda, Villareal and Cambatutay Bays in Western Samar; Matarinao Bay in Eastern Samar; San Pedro and Cancabato Bays, Tacloban City and coastal waters of Calubian in Leyte; Murcielagos Bay in Zamboanga del Norte and Misamis Occidental; Taguines Lagoon, Benoni, Mahinog in Camiguin Island; Balite Bay, Mati in Davao Oriental; and Hinatuan and Bislig Bays in Surigao del Sur.

EDUARDO B. GONGONA

Undersecretary for Fisheries, DA/Director, BFAR



BUREAU OF FISHERIES AND AQUATIC RESOURCES

3rd Floor, PCA Annex Building, Elliptical Road, Diliman , Quezon City Tel. No. +632 929-9597, +632 929-8074, +632 929-4894

Fax No. +632 929-8074, +632 929-4894

Shellfish Bulletin No. 10 Series of 2018

21 March 2018

Based on the latest laboratory results of the Bureau of Fisheries and Aquatic Resources (BFAR) and Local Government Units (LGUs), shellfishes collected at Coastal waters of Leyte and Carigara Bay in Leyte; Lianga Bay in Surigao del Sur; Coastal waters of Biliran Province; and Honda Bay, Puerto Princesa in Palawan are still positive for paralytic shellfish poison that is beyond the regulatory limit.



All types of shellfish and Acetes sp. or alamang gathered from the area shown above are NOT SAFE for human consumption. Fish, squids, shrimps and crabs are safe for human consumption provided that they are fresh and washed thoroughly, and internal organs such as gills and intestines are removed before cooking.

The following areas continue to be FREE from toxic red tides: coastal waters of Cavite, Las Piñas, Parañaque, Navotas , Bulacan and Bataan (Mariveles, Limay, Orion, Pilar, Balanga, Orani, Abucay and Samal) in Manila Bay; coastal waters of Bolinao, Anda, Alaminos, Sual and Wawa, Bani in Pangasinan; Masinloc Bay in Zambales; coastal waters of Milagros, Mandaon and Placer in Masbate; Juag Lagoon, Matnog and Sorsogon Bay in Sorsogon; Puerto Princesa Bay, Puerto Princesa City and coastal waters of Inner Malampaya Sound, Taytay in Palawan; coastal waters of Gigantes Islands, Carles in Iloilo; coastal waters of Pilar, Panay, President Roxas, Roxas City in Capiz and Sapian Bay (Ivisan and Sapian in Capiz; Mambuquiao and Camanci, Batan in Aklan); Batan Bay and coastal waters of Altavas and New Washington in Aklan; coastal waters of E.B. Magalona, Talisay City, Silay City, Bacolod City, Hinigaran and Victorias City in Negros Occidental; coastal waters of Dauis and Tagbilaran City in Bohol; coastal waters of Daram Island, Magueda, Villareal and Cambatutay Bays in Western Samar; Matarinao Bay in Eastern Samar; San Pedro and Cancabato Bays, Tacloban City and coastal waters of Calubian in Leyte; Murcielagos Bay in Zamboanga del Norte and Misamis Occidental; Taguines Lagoon, Benoni, Mahinog in Camiguin Island; Balite Bay, Mati in Davao Oriental; and Hinatuan and Bislig Bays in Surigao del Sur. Moreover, Irong-Irong Bay in Western Samar is now free of the toxic red tides.



BUREAU OF FISHERIES AND AQUATIC RESOURCES

3° Floor, PCA Annex Building, Elliptical Road, Diliman , Quezon City Tel. No. +632 929-9597, +632 929-8074, +632 929-4894

Fax No. +632 929-8074, +632 929-4894

Shellfish Bulletin No. 11 Series of 2018

22 March 2018

Based on the latest laboratory results of the Bureau of Fisheries and Aquatic Resources (BFAR) and Local Government Units (LGUs), shellfishes collected at Coastal waters of Leyte and Carigara Bay in Leyte; Lianga Bay in Surigao del Sur; Coastal waters of Biliran Province; and Honda Bay, Puerto Princesa in Palawan are still positive for paralytic shellfish poison that is beyond the regulatory limit. Moreover, Coastal waters of Dauis and Tagbilaran City in Bohol are now positive for red tide toxin.



All types of shellfish and Acetes sp. or alamang gathered from the area shown above are NOT SAFE for human consumption. Fish, squids, shrimps and crabs are safe for human consumption provided that they are fresh and washed thoroughly, and internal organs such as gills and intestines are removed before cooking.

The following areas continue to be FREE from toxic red tides: coastal waters of Cavite, Las Piñas, Parañaque, Navotas, Bulacan and Bataan (Mariveles, Limay, Orion, Pilar, Balanga, Orani, Abucay and Samal) in Manila Bay; coastal waters of Bolinao, Anda, Alaminos, Suai and Wawa, Bani in Pangasinan; Masinloc Bay in Zambales; coastal waters of Milagros, Mandaon and Placer in Masbate; Juag Lagoon, Matnog and Sorsogon Bay in Sorsogon; Puerto Princesa Bay, Puerto Princesa City and coastal waters of Inner Malampaya Sound, Taytay in Palawan; coastal waters of Gigantes Islands, Carles in Iloilo; coastal waters of Pilar, Panay, President Roxas, Roxas City in Capiz and Sapian Bay (Ivisan and Sapian in Capiz; Mambuquiao and Camanci, Batan in Aklan); Batan Bay and coastal waters of Altavas and New Washington in Aklan; coastal waters of E.B. Magalona, Talisay City, Silay City, Bacolod City, Hinigaran and Victorias City in Negros Occidental; coastal waters of Daram Island, Maqueda, Villareal, Irong-Irong and Cambatutay Bays in Western Samar; Matarinao Bay in Eastern Samar; San Pedro and Cancabato Bays, Tacloban City and coastal waters of Calubian in Leyte; Murclelagos Bay in Zamboanga del Norte and Misamis Occidental; Taguines Lagoon, Benoni, Mahinog in Camiguin Island; Balite Bay, Mati in Davao Oriental; and Hinatuan and Bislig Bays in Surigao del Sur.



Shellfish Bulletin No. 12 Series of 2018 06 April 2018

Based on the latest laboratory results of the Bureau of Fisheries and Aquatic Resources (BFAR) and Local Government Units (LGUs), shellfishes collected at Coastal waters of Leyte and Carigara Bay in Leyte; Lianga Bay in Surigao del Sur; Coastal waters of Biliran Province; Honda Bay, Puerto Princesa in Palawan; and Coastal waters of Dauis and Tagbilaran City in Bohol are still positive for paralytic shellfish poison that is beyond the regulatory limit.




All types of shellfish and Acetes sp. or alamang gathered from the area shown above are NOT SAFE for human consumption. Fish, squids, shrimps and crabs are safe for human consumption provided that they are fresh and washed thoroughly, and internal organs such as gills and intestines are removed before cooking.

The following areas continue to be FREE from toxic red tides: coastal waters of Cavite, Las Piñas, Parañaque, Navotas, Bulacan and Bataan (Mariveles, Limay, Orion, Pilar, Balanga, Orani, Abucay and Samal) in Manila Bay; coastal waters of Bolinao, Anda, Alaminos, Sual and Wawa, Bani in Pangasinan; Masinloc Bay in Zambales; coastal waters of Milagros, Mandaon and Placer in Masbate; Juag Lagoon, Matnog and Sorsogon Bay in Sorsogon; Puerto Princesa Bay, Puerto Princesa City and coastal waters of Inner Malampaya Sound, Taytay in Palawan; coastal waters of Gigantes Islands, Carles in Iloilo; coastal waters of Pilar, Panay, President Roxas, Roxas City in Capiz and Sapian Bay (Ivisan and Sapian in Capiz; Mambuquiao and Camanci, Batan in Aklan); Batan Bay and coastal waters of Altavas and New Washington in Aklan; coastal waters of E.B. Magalona, Talisay City, Silay City, Bacolod City, Hinigaran and Victorias City in Negros Occidental; coastal waters of Daram Island, Maqueda, Villareal, Irong-Irong and Cambatutay Bays in Western Samar; Matarinao Bay in Eastern Samar; San Pedro and Cancabato Bays, Tacloban City and coastal waters of Calubian in Leyte; Murcielagos Bay in Zamboanga del Norte and Misamis Occidental; Taguines Lagoon, Benoni, Mahinog in Camiguin Island; Balite Bay, Mati in Davao Oriental; and Hinatuan and Bislig Bays in Surigao del Sur.



Shellfish Bulletin No. 13 Series of 2018 16 April 2018

Based on the latest laboratory results of the Bureau of Fisheries and Aquatic Resources (BFAR) and Local Government Units (LGUs), shellfishes collected at Coastal waters of Biliran Province; Coastal waters of Leyte in Leyte; Lianga Bay in Surigao del Sur; Coastal waters of Dauis and Tagbilaran City in Bohol; and Honda Bay, Puerto Princesa in Palawan are still positive for paralytic shellfish poison that is beyond the regulatory limit.



All types of shellfish and Acetes sp. or alamang gathered from the area shown above are NOT SAFE for human consumption. Fish, squids, shrimps and crabs are safe for human consumption provided that they are fresh and washed thoroughly, and internal organs such as gills and intestines are removed before cooking.

The following areas continue to be FREE from toxic red tides: coastal waters of Cavite, Las Piñas, Parañaque, Navotas, Bulacan and Bataan (Mariveles, Limay, Orion, Pilar, Balanga, Orani, Abucay and Samai) in Manila Bay; coastal waters of Bolinao, Anda, Alaminos, Sual and Wawa, Bani in Pangasinan; Masinioc Bay in Zambales; coastal waters of Milagros, Mandaon and Placer in Masbate; Juag Lagoon, Matnog and Sorsogon Bay in Sorsogon; Puerto Princesa Bay, Puerto Princesa City and coastal waters of Inner Malampaya Sound, Taytay in Palawan; coastal waters of Gigantes Islands, Carles in Iloilo; coastal waters of Pilar, Panay, President Roxas, Roxas City in Capiz and Sapian Bay (Ivisan and Sapian in Capiz; Mambuquiao and Camanci, Batan in Aklan); Batan Bay and coastal waters of Altavas and New Washington in Aklan; coastal waters of E.B. Magalona, Talisay City, Silay City, Bacolod City, Hinigaran and Victorias City in Negros Occidental; coastal waters of Daram Island, Maqueda, Villareal, Irong-Irong and Cambatutay Bays in Western Samar; Matarinao Bay in Eastern Samar; San Pedro and Cancabato Bays, Tacloban City and coastal waters of Calubian in Leyte; Murcielagos Bay in Zamboanga del Norte and Misamis Occidental; Taguines Lagoon, Benoni, Mahinog in Camiguin Island; Balite Bay, Mati in Davao Oriental; and Hinatuan and Bislig Bays in Surigao del Sur. Moreover, Carigara Bay in Leyte is now free of the toxic red tides.




BUREAU OF FISHERIES AND AQUATIC RESOURCES

3rd Floor, PCA Annex Building, Elliptical Road, Dillman , Quezon City Tel. No. +632 929-9597, +632 929-8074, +632 929-4894 Fax No. +632 929-8074, +632 929-4894

Shellfish Bulletin No. 14 Series of 2018 02 May 2018

Based on the latest laboratory results of the Bureau of Fisheries and Aquatic Resources (BFAR) and Local Government Units (LGUs), shellfishes collected at Coastal waters of Biliran Province; Coastal waters of Leyte in Leyte; Lianga Bay in Surigao del Sur; Coastal waters of Dauis and Tagbilaran City in Bohol; and Honda Bay, Puerto Princesa in Palawan are still positive for paralytic shellfish poison that is beyond the regulatory limit.




All types of shellfish and Acetes sp. or alamang gathered from the area shown above are NOT SAFE for human consumption. Fish, squids, shrimps and crabs are safe for human consumption provided that they are fresh and washed thoroughly, and internal organs such as gills and intestines are removed before cooking.

The following areas continue to be FREE from toxic red tides: coastal waters of Cavite, Las Piñas, Parañaque, Navotas, Bulacan and Bataan (Mariveles, Limay, Orion, Pilar, Balanga, Orani, Abucay and Samal) in Manila Bay; coastal waters of Bolinao, Anda, Alaminos, Sual and Wawa, Bani in Pangasinan; Masinloc Bay in Zambales; coastal waters of Milagros, Mandaon and Placer in Masbate; Juag Lagoon, Matnog and Sorsogon Bay in Sorsogon; Puerto Princesa Bay, Puerto Princesa City and coastal waters of Inner Malampaya Sound, Taytay in Palawan; coastal waters of Gigantes Islands, Carles in Iloilo; coastal waters of Pilar, Panay, President Roxas, Roxas City in Capiz and Sapian Bay (Ivisan and Sapian in Capiz; Mambuqulao and Camanci, Batan in Aklan); Batan Bay and coastal waters of Altavas and New Washington in Aklan; coastal waters of E.B. Magalona, Talisay City, Silay City, Bacolod City, Hinigaran and Victorias City in Negros Occidental; coastal waters of Daram Island, Maqueda, Villareal, Irong-Irong and Cambatutay Bays in Western Samar; Matarinao Bay in Eastern Samar; San Pedro, Carigara and Cancabato Bays, Tacloban City and coastal waters of Calubian in Leyte; Murcielagos Bay in Zamboanga del Norte and Misamis Occidental; Taguines Lagoon, Benoni, Mahinog in Camiguin Island; Balite Bay, Mati in Davao Oriental; and Hinatuan and Bislig Bays in Surigao del Sur.



Shellfish Bulletin No. 15 Series of 2018 21 May 2018

Based on the latest laboratory results of the Bureau of Fisheries and Aquatic Resources (BFAR) and Local Government Units (LGUs), shellfishes collected at Coastal waters of Biliran Province; Coastal waters of Leyte in Leyte; Lianga Bay in Surigao del Sur; Coastal waters of Dauis and Tagbilaran City in Bohol; and Honda Bay, Puerto Princesa City in Palawan are still positive for paralytic shellfish poison that is beyond the regulatory limit.



All types of shellfish and Acetes sp. or alamang gathered from the area shown above are NOT SAFE for human consumption. Fish, squids, shrimps and crabs are safe for human consumption provided that they are fresh and washed thoroughly, and internal organs such as gills and intestines are removed before cooking.

The following areas continue to be FREE from toxic red tides: coastal waters of Cavite, Las Piñas, Parañaque, Navotas , Bulacan and Bataan (Mariveles, Limay, Orion, Pilar, Balanga, Orani, Abucay and Samal) in Manila Bay; coastal waters of Bolinao, Anda, Alaminos, Sual and Wawa, Bani in Pangasinan; Masinloc Bay in Zambales; coastal waters of Milagros, Mandaon and Placer in Masbate; Juag Lagoon, Matnog and Sorsogon Bay in Sorsogon; Puerto Princesa Bay, Puerto Princesa City and coastal waters of Inner Malampaya Sound, Taytay in Palawan; coastal waters of Gigantes Islands, Carles in Iloilo; coastal waters of Pilar, Panay, President Roxas, Roxas City in Capiz and Sapian Bay (Ivisan and Sapian in Capiz; Mambuquiao and Camanci, Batan in Aklan); Batan Bay and coastal waters of Altavas and New Washington in Aklan; coastal waters of E.B. Magalona, Talisay City, Silay City, Bacolod City, Hinigaran and Victorias City in Negros Occidental; coastal waters of Daram Island, Maqueda, Villareal, Irong-Irong and Cambatutay Bays in Western Samar; Matarinao Bay in Eastern Samar; San Pedro, Carigara and Cancabato Bays, Tacloban City and coastal waters of Calubian in Leyte; Murcielagos Bay in Zamboanga del Norte and Misamis Occidental; Taguines Lagoon, Benoni, Mahinog in Camiguin Island; Balite Bay, Mati in Davao Oriental; and Hinatuan and Bislig Bays in Surigao del Sur.



BUREAU OF FISHERIES AND AQUATIC RESOURCES


3rd Floor, PCA Annex Building, Elliptical Road, Diliman , Quezon City Tel. No. +632 929-9597, +632 929-8074, +632 929-4894

Fax No. +632 929-8074, +632 929-4894

Shellfish Bulletin No. 16 Series of 2018

05 June 2018

Based on the latest laboratory results of the Bureau of Fisheries and Aquatic Resources (BFAR) and Local Government Units (LGUs), shellfishes collected at Coastal waters of Biliran Province; Coastal waters of Leyte in Leyte; Lianga Bay in Surigao del Sur; Coastal waters of Dauis and Tagbilaran City in Bohol; and Honda Bay, Puerto Princesa City in Palawan are still positive for paralytic shellfish poison that is beyond the regulatory limit.



All types of shellfish and Acetes sp. or alamang gathered from the area shown above are NOT SAFE for human consumption. Fish, squids, shrimps and crabs are safe for human consumption provided that they are fresh and washed thoroughly, and internal organs such as gills and intestines are removed before cooking.

The following areas continue to be FREE from toxic red tides: coastal waters of Cavite, Las Piñas, Parañaque, Navotas, Bulacan and Bataan (Mariveles, Limay, Orion, Pilar, Balanga, Orani, Abucay and Samal) in Manila Bay; coastal waters of Bolinao, Anda, Alaminos, Sual and Wawa, Bani in Pangasinan; Masinloc Bay in Zambales; coastal waters of Milagros, Mandaon and Placer in Masbate; Juag Lagoon, Matnog and Sorsogon Bay in Sorsogon; Puerto Princesa Bay, Puerto Princesa City and coastal waters of Inner Malampaya Sound, Taytay in Palawan; coastal waters of Gigantes Islands, Carles in Iloilo; coastal waters of Pilar, Panay, President Roxas, Roxas City in Capiz and Sapian Bay (Ivisan and Sapian in Capiz; Mambuquiao and Camanci, Batan in Aklan); Batan Bay and coastal waters of Altavas and New Washington in Aklan; coastal waters of E.B. Magalona, Talisay City, Silay City, Bacolod City, Hinigaran and Victorias City in Negros Occidental; coastal waters of Daram Island, Maqueda, Villareal, Irong-Irong and Cambatutay Bays in Western Samar; Matarinao Bay in Eastern Samar; San Pedro, Carigara and Cancabato Bays, Tacloban City and coastal waters of Calubian in Leyte; Murcielagos Bay in Zamboanga del Norte and Misamis Occidental; Taguines Lagoon, Benoni, Mahinog in Camiguin Island; Balite Bay, Mati in Davao Oriental; and Hinatuan and Bislig Bays in Surigao del Sur.




BUREAU OF FISHERIES AND AQUATIC RESOURCES

3rd Floor, PCA Annex Building, Elliptical Road, Diliman , Quezon City Tel. No. +632 929-9597, +632 929-8074, +632 929-4894 Fax No. +632 929-8074, +632 929-4894

Shellfish Bulletin No. 17 Series of 2018 19 June 2018

Based on the latest laboratory results of the Bureau of Fisheries and Aquatic Resources (BFAR) and Local Government Units (LGUs), shellfishes collected at Coastal waters of Biliran Province; Coastal waters of Leyte in Leyte; Lianga Bay in Surigao del Sur; Coastal waters of Dauis and Tagbilaran City in Bohol; and Honda Bay, Puerto Princesa City in Palawan are still positive for paralytic shellfish poison that is beyond the regulatory limit.



All types of shellfish and Acetes sp. or alamang gathered from the area shown above are NOT SAFE for human consumption. Fish, squids, shrimps and crabs are safe for human consumption provided that they are fresh and washed thoroughly, and internal organs such as gills and intestines are removed before cooking.

The following areas continue to be FREE from toxic red tides: coastal waters of Cavite, Las Piñas, Parañaque, Navotas , Bulacan and Bataan (Mariveles, Limay, Orion, Pilar, Balanga, Orani, Abucay and Samal) in Manila Bay; coastal waters of Bolinao, Anda, Alaminos, Sual and Wawa, Bani in Pangasinan; Masinloc Bay in Zambales; coastal waters of Milagros, Mandaon and Placer in Masbate; Juag Lagoon, Matnog and Sorsogon Bay in Sorsogon; Puerto Princesa Bay, Puerto Princesa City and coastal waters of Inner Malampaya Sound, Taytay in Palawan; coastal waters of Gigantes Islands, Carles in Iloilo; coastal waters of Pilar, Panay, President Roxas, Roxas City in Capiz and Sapian Bay (Ivisan and Sapian in Capiz; Mambuquiao and Camanci, Batan in Aklan); Batan Bay and coastal waters of Altavas and New Washington in Aklan; coastal waters of E.B. Magalona, Talisay City, Silay City, Bacolod City, Hinigaran and Victorias City in Negros Occidental; Tambobo and Silt Bays, Siaton and Bais Bay, Bais City in Negros Oriental; coastal waters of Daram Island, Maqueda, Villareal, Irong-Irong and Cambatutay Bays in Western Samar; Matarinao Bay in Eastern Samar; San Pedro, Carigara and Cancabato Bays, Tacloban City and coastal waters of Calubian in Leyte; Dumanquillas Bay in Zamboanga del Sur; Tantanang Bay in Zamboanga Sibugay; Murcielagos Bay in Zamboanga del Norte and Misamis Occidental; Taguines Lagoon, Benoni, Mahinog in Camiguin Island; Balite Bay, Mati in Davao Oriental; and Hinatuan and Bislig Bays in Surigao del Sur.



BUREAU OF FISHERIES AND AQUATIC RESOURCES


3rd Floor, PCA Annex Building, Elliptical Road, Diliman , Quezon City Tel. No. +632 929-9597, +632 929-8074, +632 929-4894

Fax No. +632 929-8074, +632 929-4894

Shellfish Bulletin No. 18 Series of 2018

25 June 2018

Based on the latest laboratory results of the Bureau of Fisheries and Aquatic Resources (BFAR) and Local Government Units (LGUs), shellfishes collected at Coastal waters of Biliran Province; Coastal waters of Leyte in Leyte; Lianga Bay in Surigao del Sur; Coastal waters of Dauis and Tagbilaran City in Bohol; and Honda Bay, Puerto Princesa City in Palawan are still positive for paralytic shellfish poison that is beyond the regulatory limit. Moreover, Puerto Princesa Bay, Puerto Princesa City in Palawan is now positive for red tide toxin.



All types of shellfish and Acetes sp. or alamang gathered from the area shown above are NOT SAFE for human consumption. Fish, squids, shrimps and crabs are safe for human consumption provided that they are fresh and washed thoroughly, and internal organs such as gills and intestines are removed before cooking.

The following areas continue to be FREE from toxic red tides: coastal waters of Cavite, Las Piñas, Parañaque, Navotas , Bulacan and Bataan (Mariveles, Limay, Orion, Pilar, Balanga, Orani, Abucay and Samal) in Manila Bay; coastal waters of Bolinao, Anda, Alaminos, Sual and Wawa, Bani in Pangasinan; Masinloc Bay in Zambales; coastal waters of Milagros, Mandaon and Placer in Masbate; Juag Lagoon, Matnog and Sorsogon Bay in Sorsogon; coastal waters of Inner Malampaya Sound, Taytay in Palawan; coastal waters of Gigantes Islands, Carles in Iloilo; coastal waters of Pilar, Panay, President Roxas, Roxas City in Capiz and Sapian Bay (Ivisan and Sapian in Capiz; Mambuquiao and Camanci, Batan in Aklan); Batan Bay and coastal waters of Altavas and New Washington in Aklan; coastal waters of E.B. Magalona, Talisay City, Silay City, Bacolod City, Hinigaran and Victorias City in Negros Occidental; Tambobo and Siit Bays, Siaton and Bais Bay, Bais City in Negros Oriental; coastal waters of Daram Island, Maqueda, Villareal, Irong-Irong and Cambatutay Bays in Western Samar; Matarinao Bay in Eastern Samar; San Pedro, Carigara and Cancabato Bays, Tacloban City and coastal waters of Calubian in Leyte; Dumanquillas Bay in Zamboanga del Sur; Tantanang Bay in Zamboanga Sibugay; Murcielagos Bay in Zamboanga del Norte and Misamis Occidental; Taguines Lagoon, Benoni, Mahinog in Camiguin Island; Balite Bay, Mati in Davao Oriental; and Hinatuan and Bislig Bays in Surigao del Sur.



Shellfish Bulletin No. 19 Series of 2018 13 July 2018

Based on the latest laboratory results of the Bureau of Fisheries and Aquatic Resources (BFAR) and Local Government Units (LGUs), shellfishes collected at Coastal waters of Leyte in Leyte; Coastal waters of Dauis and Tagbilaran City in Bohol; Puerto Princesa and Honda Bays, Puerto Princesa City in Palawan are still positive for paralytic shellfish poison that is beyond the regulatory limit.




All types of shellfish and Acetes sp. or alamang gathered from the area shown above are NOT SAFE for human consumption. Fish, squids, shrimps and crabs are safe for human consumption provided that they are fresh and washed thoroughly, and internal organs such as gills and intestines are removed before cooking.

The following areas continue to be FREE from toxic red tides: coastal waters of Cavite, Las Piñas, Parañaque, Navotas , Bulacan and Bataan (Mariveles, Limay, Orion, Pilar, Balanga, Orani, Abucay and Samal) in Manila Bay; coastal waters of Bolinao, Anda, Alaminos, Sual and Wawa, Bani in Pangasinan; Masinloc Bay in Zambales; coastal waters of Milagros, Mandaon and Placer in Masbate; Juag Lagoon, Matnog and Sorsogon Bay in Sorsogon; coastal waters of Inner Malampaya Sound, Taytay in Palawan; coastal waters of Gigantes Islands, Carles in Iloilo; coastal waters of Pilar, Panay, President Roxas, Roxas City in Capiz and Sapian Bay (Ivisan and Sapian in Capiz; Mambuquiao and Camanci, Batan in Aklan); Batan Bay and coastal waters of Altavas and New Washington in Aklan; coastal waters of E.B. Magalona, Talisay City, Silay City, Bacolod City, Hinigaran and Victorias City in Negros Occidental; Tambobo and Siit Bays, Siaton and Bais Bay, Bais City in Negros Oriental; coastal waters of Daram Island, Maqueda, Villareal, Irong-Irong and Cambatutay Bays in Western Samar; Matarinao Bay in Eastern Samar; San Pedro, Carigara and Cancabato Bays, Tacloban City and coastal waters of Calubian in Leyte; Dumanquillas Bay in Zamboanga del Sur; Tantanang Bay in Zamboanga Sibugay; Murcielagos Bay in Zamboanga del Norte and Misamis Occidental; Taguines Lagoon, Benoni, Mahinog in Camiguin Island; Balite Bay, Mati in Davao Oriental; and Hinatuan and Bislig Bays in Surigao del Sur. Moreover, coastal waters of Biliran Province and Lianga Bay in Surigao del Sur are now free of the toxic red tides.



Shellfish Bulletin No. 20 Series of 2018 28 July 2018

Based on the latest laboratory results of the Bureau of Fisheries and Aquatic Resources (BFAR) and Local Government Units (LGUs), shellfishes collected at Coastal waters of Leyte in Leyte; Coastal waters of Dauis and Tagbilaran City in Bohol; and Puerto Princesa and Honda Bays, Puerto Princesa City in Palawan are still positive for paralytic shellfish poison that is beyond the regulatory limit. Moreover, Hinatuan and Lianga Bays in Surigao del Sur are now positive for red tide toxin.




All types of shellfish and Acetes sp. or alamang gathered from the area shown above are NOT SAFE for human consumption. Fish, squids, shrimps and crabs are safe for human consumption provided that they are fresh and washed thoroughly, and internal organs such as gills and intestines are removed before cooking.

The following areas continue to be FREE from toxic red tides: coastal waters of Cavite, Las Piñas, Parañaque, Navotas , Bulacan and Bataan (Mariveles, Limay, Orion, Pilar, Balanga, Orani, Abucay and Samal) in Manila Bay; coastal waters of Bolinao, Anda, Alaminos, Sual and Wawa, Bani in Pangasinan; Masinloc Bay in Zambales; coastal waters of Milagros, Mandaon and Placer in Masbate; Juag Lagoon, Matnog and Sorsogon Bay in Sorsogon; coastal waters of Inner Malampaya Sound, Taytay in Palawan; coastal waters of Gigantes Islands, Carles in Iloilo; coastal waters of Pilar, Panay, President Roxas and Roxas City in Capiz; Sapian Bay (Ivisan and Sapian in Capiz; Mambuquiao and Camanci, Batan in Aklan); Altavas, Batan and New Washington in Batan Bay, Aklan; coastal waters of E.B. Magalona, Talisay City, Silay City, Bacolod City, Hinigaran and Victorias City in Negros Occidental; Tambobo and Silt Bays, Siaton and Bais Bay, Bais City in Negros Oriental; coastal waters of Daram Island, Magueda, Villareal, Irong-Irong and Cambatutay Bays in Western Samar; Matarinao Bay in Eastern Samar; San Pedro and Cancabato Bays, Tacloban City, coastal waters of Calubian and Carigara Bay in Leyte; coastal waters of Biliran Province; Dumanquillas Bay in Zamboanga del Sur; Tantanang Bay in Zamboanga Sibugay; Murcielagos Bay in Zamboanga del Norte and Misamis Occidental; Taguines Lagoon, Benoni, Mahinog in Camiguin Island; Balite and Pujada Bays, Mati in Davao Oriental; and Bislig Bay in Surigao del Sur.



Shellfish Bulletin No. 21 Series of 2018 10 August 2018

Based on the latest laboratory results of the Bureau of Fisheries and Aquatic Resources (BFAR) and Local Government Units (LGUs), shellfishes collected at Hinatuan and Lianga Bays in Surigao del Sur; Coastal waters of Dauis and Tagbilaran City in Bohol; and Puerto Princesa and Honda Bays, Puerto Princesa City in Palawan are still positive for paralytic shellfish poison that is beyond the regulatory limit. Moreover, Matarinao Bay in Eastern Samar is now positive for red tide toxin.




All types of shellfish and Acetes sp. or alamang gathered from the area shown above are NOT SAFE for human consumption. Fish, squids, shrimps and crabs are safe for human consumption provided that they are fresh and washed thoroughly, and internal organs such as gills and intestines are removed before cooking.

The following areas continue to be FREE from toxic red tides: coastal waters of Cavite, Las Piñas, Parañaque, Navotas , Bulacan and Bataan (Mariveles, Limay, Orion, Pilar, Balanga, Orani, Abucay and Samal) in Manila Bay; coastal waters of Bolinao, Anda, Alaminos, Sual and Wawa, Bani in Pangasinan; Masinloc Bay in Zambales; coastal waters of Milagros, Mandaon and Placer in Masbate; Juag Lagoon, Matnog and Sorsogon Bay in Sorsogon; coastal waters of Inner Malampaya Sound, Taytay in Palawan; coastal waters of Gigantes Islands, Carles in Iloilo; coastal waters of Pilar, Panay, President Roxas and Roxas City in Capiz; Sapian Bay (Ivisan and Sapian in Capiz; Mambuquiao and Camanci, Batan in Aklan); Altavas, Batan and New Washington in Batan Bay, Aklan; coastal waters of E.B. Magalona, Talisay City, Silay City, Bacolod City, Hinigaran and Victorias City in Negros Occidental; Tambobo and Siit Bays, Siaton and Bais Bay, Bais City in Negros Oriental; coastal waters of Daram Island, Maqueda, Villareal, Irong-Irong and Cambatutay Bays in Western Samar; San Pedro and Cancabato Bays, Tacloban City, coastal waters of Calubian and Carigara Bay in Leyte; coastal waters of Billiran Province; Dumanquillas Bay in Zamboanga del Sur; Tantanang Bay in Zamboanga Sibugay; Murcielagos Bay in Zamboanga del Norte and Misamis Occidental; Taguines Lagoon, Benoni, Mahinog in Camiguin Island; Balite and Pujada Bays, Mati in Davao Oriental; and Bislig Bay in Surigao del Sur. Moreover, Coastal waters of Leyte in Leyte is now free of the toxic red tides.




Shellfish Bulletin No. 22 Series of 2018 29 August 2018

Based on the latest laboratory results of the Bureau of Fisheries and Aquatic Resources (BFAR) and Local Government Units (LGUs), shellfishes collected at Matarinao Bay in Eastern Samar, Lianga Bay in Surigao del Sur; Coastal waters of Dauis and Tagbilaran City in Bohol; and Puerto Princesa and Honda Bays, Puerto Princesa City in Palawan are still positive for paralytic shellfish poison that is beyond the regulatory limit.



All types of shellfish and Acetes sp. or alamang gathered from the area shown above are NOT SAFE for human consumption. Fish, squids, shrimps and crabs are safe for human consumption provided that they are fresh and washed thoroughly, and internal organs such as gills and intestines are removed before cooking.

The following areas continue to be FREE from toxic red tides: coastal waters of Cavite, Las Piñas, Parañague, Navotas , Bulacan and Bataan (Mariveles, Limay, Orion, Pilar, Balanga, Orani, Abucay and Samai) in Manila Bay; coastal waters of Bolinao, Anda, Alaminos, Sual and Wawa, Bani in Pangasinan; Masinloc Bay in Zambales; coastal waters of Milagros, Mandaon and Placer in Masbate; Juag Lagoon, Matnog and Sorsogon Bay in Sorsogon; coastal waters of Inner Malampaya Sound, Taytay in Palawan; coastal waters of Gigantes Islands, Carles in Iloilo; coastal waters of Pilar, Panay, President Roxas and Roxas City in Capiz; Sapian Bay (Ivisan and Sapian in Capiz; Mambuquiao and Camanci, Batan in Aklan); Altavas, Batan and New Washington in Batan Bay, Aklan; coastal waters of E.B. Magalona, Talisay City, Silay City, Bacolod City, Hinigaran and Victorias City in Negros Occidental; Tambobo and Siit Bays, Siaton and Bais Bay, Bais City in Negros Oriental; coastal waters of Daram Island, Maqueda, Villareal, Irong-Irong and Cambatutay Bays in Western Samar; San Pedro and Cancabato Bays, Tacloban City, coastal waters of Leyte, Calubian and Carigara Bay in Leyte; coastal waters of Biliran Province; Dumanquillas Bay in Zamboanga del Sur; Tantanang Bay in Zamboanga Sibugay; Murcielagos Bay in Zamboanga del Norte and Misamis Occidental; Taguines Lagoon, Benoni, Mahinog in Camiguin Island; Balite and Pujada Bays, Mati in Davao Oriental; and Bislig Bay in Surigao del Sur. Moreover, Hinatuan Bay in Surigao del Sur is now free of the toxic red tides.



Shellfish Bulletin No. 23 Series of 2018

07 September 2018

Based on the latest laboratory results of the Bureau of Fisheries and Aquatic Resources (BFAR) and Local Government Units (LGUs), shellfishes collected at Matarinao Bay in Eastern Samar; Coastal waters of Dauis and Tagbilaran City in Bohol; and Puerto Princesa and Honda Bays, Puerto Princesa City in Palawan are still positive for paralytic shellfish poison that is beyond the regulatory limit.



All types of shellfish and Acetes sp. or alamang gathered from the area shown above are NOT SAFE for human consumption. Fish, squids, shrimps and crabs are safe for human consumption provided that they are fresh and washed thoroughly, and internal organs such as gills and intestines are removed before cooking.

The following areas continue to be FREE from toxic red tides: coastal waters of Cavite, Las Piñas, Parañaque, Navotas , Bulacan and Bataan (Mariveles, Limay, Orion, Pilar, Balanga, Orani, Abucay and Samal) in Manila Bay; coastal waters of Bolinao, Anda, Alaminos, Sual and Wawa, Bani in Pangasinan; Masinloc Bay in Zambales; coastal waters of Milagros, Mandaon and Placer in Masbate; Juag Lagoon, Matnog and Sorsogon Bay in Sorsogon; coastal waters of Inner Malampaya Sound, Taytay in Palawan; coastal waters of Gigantes Islands, Carles in Iloilo; coastal waters of Pilar, Panay, President Roxas and Roxas City in Capiz; Sapian Bay (Ivisan and Sapian in Capiz; Mambuquiao and Camanci, Batan in Aklan); Altavas, Batan and New Washington in Batan Bay, Aklan; coastal waters of E.B. Magalona, Talisay City, Silay City, Bacolod City, Hinigaran and Victorias City in Negros Occidental; Tambobo and Siit Bays, Siaton and Bais Bay, Bais City in Negros Oriental; coastal waters of Daram Island, Maqueda, Villareal, Irong-Irong and Cambatutay Bays in Western Samar; San Pedro and Cancabato Bays, Tacloban City, coastal waters of Leyte, Calubian and Carigara Bay in Leyte; coastal waters of Biliran Province; Dumanquillas Bay in Zamboanga del Sur; Tantanang Bay in Zamboanga Sibugay; Murcielagos Bay in Zamboanga del Norte and Misamis Occidental; Taguines Lagoon, Benoni, Mahinog in Camiguin Island; Balite and Pujada Bays, Mati in Davao Oriental; and Hinatuan and Bislig Bays In Surigao del Sur. Moreover, Lianga Bay in Surigao del Sur is now free of the toxic red tides.



Shellfish Bulletin No. 24 Series of 2018

21 September 2018

Based on the latest laboratory results of the Bureau of Fisheries and Aquatic Resources (BFAR) and Local Government Units (LGUs), shellfishes collected at Matarinao Bay in Eastern Samar; Coastal waters of Dauis and Tagbilaran City in Bohol; and Puerto Princesa and Honda Bays, Puerto Princesa City in Palawan are still positive for paralytic shellfish poison that is beyond the regulatory limit. Moreover, Lianga Bay in Surigao del Sur and Coastal waters of Milagros in Masbate are now positive for red tide toxin.



All types of shellfish and Acetes sp. or alamang gathered from the area shown above are NOT SAFE for human consumption. Fish, squids, shrimps and crabs are safe for human consumption provided that they are fresh and washed thoroughly, and internal organs such as gills and intestines are removed before cooking.

The following areas continue to be FREE from toxic red tides: coastal waters of Cavite, Las Piñas, Parañaque, Navotas , Bulacan and Bataan (Mariveles, Limay, Orion, Pilar, Balanga, Orani, Abucay and Samal) in Manila Bay; coastal waters of Bolinao, Anda, Alaminos, Sual and Wawa, Bani in Pangasinan; Masinloc Bay in Zambales; coastal waters of Mandaon and Placer in Masbate; Juag Lagoon, Matnog and Sorsogon Bay in Sorsogon; coastal waters of Inner Malampaya Sound, Taytay in Palawan; coastal waters of Gigantes Islands, Carles in Ilollo; coastal waters of Pilar, Panay, President Roxas and Roxas City in Capiz; Sapian Bay (Ivisan and Sapian in Capiz; Mambuquiao and Camanci, Batan in Aklan); Altavas, Batan and New Washington in Batan Bay, Aklan; coastal waters of E.B. Magalona, Talisay City, Silay City, Bacolod City, Hinlgaran and Victorias City in Negros Occidental; Tambobo and Siit Bays, Siaton and Bais Bay, Bais City in Negros Oriental; coastal waters of Daram Island, Maqueda, Villareal, Irong-Irong and Cambatutay Bays in Western Samar; San Pedro and Cancabato Bays, Tacloban City, coastal waters of Leyte, Calubian and Carigara Bay in Leyte; coastal waters of Biliran Province; Dumanquillas Bay in Zamboanga del Sur; Tantanang Bay in Zamboanga Sibugay; Murcielagos Bay in Zamboanga del Norte and Misamis Occidental; Taguines Lagoon, Benoni, Mahinog in Camiguin Island; Balite and Pujada Bays, Mati in Davao Oriental; and Hinatuan and Bislig Bays in Surigao del Sur.



Shellfish Bulletin No. 25 Series of 2018 25 September 2018

Based on the latest laboratory results of the Bureau of Fisheries and Aquatic Resources (BFAR) and Local Government Units (LGUs), shellfishes collected at Matarinao Bay in Eastern Samar; Lianga Bay in Surigao del Sur; Coastal waters of Dauis and Tagbilaran City in Bohol; and Coastal waters of Milagros in Masbate are still positive for paralytic shellfish poison that is beyond the regulatory limit.



All types of shellfish and Acetes sp. or alamang gathered from the area shown above are NOT SAFE for human consumption. Fish, squids, shrimps and crabs are safe for human consumption provided that they are fresh and washed thoroughly, and internal organs such as gills and intestines are removed before cooking.

The following areas continue to be FREE from toxic red tides: coastal waters of Cavite, Las Piñas, Parañague, Navotas , Bulacan and Bataan (Mariveles, Limay, Orion, Pilar, Balanga, Orani, Abucay and Samal) in Manila Bay; coastal waters of Bolinao, Anda, Alaminos, Sual and Wawa, Bani In Pangasinan; Masinloc Bay in Zambales; coastal waters of Mandaon and Placer in Masbate; Juag Lagoon, Matnog and Sorsogon Bay in Sorsogon; coastal waters of Inner Malampaya Sound, Taytay in Palawan; coastal waters of Gigantes Islands, Carles in Iloilo; coastal waters of Pilar, Panay, President Roxas and Roxas City in Capiz; Sapian Bay (Ivisan and Sapian in Capiz; Mambuquiao and Camanci, Batan in Aklan); Altavas, Batan and New Washington in Batan Bay, Aklan; coastal waters of E.B. Magalona, Talisay City, Silay City, Bacolod City, Hinigaran and Victorias City in Negros Occidental; Tambobo and Siit Bays, Slaton and Bais Bay, Bais City in Negros Oriental; coastal waters of Daram Island, Maqueda, Villareal, Irong-Irong and Cambatutay Bays in Western Samar; San Pedro and Cancabato Bays, Tacloban City, coastal waters of Leyte, Calubian and Carigara Bay in Leyte; coastal waters of Biliran Province; Dumanquillas Bay in Zamboanga del Sur; Tantanang Bay in Zamboanga Sibugay; Murcielagos Bay in Zamboanga del Norte and Misamis Occidental; Taguines Lagoon, Benoni, Mahinog in Camiguin Island; Balite and Pujada Bays, Mati in Davao Oriental; and Hinatuan and Bislig Bays in Surigao del Sur. Moreover, Honda and Puerto Princesa Bays in Puerto Princesa City, Palawan are now free of the toxic red tides.



Shellfish Bulletin No. 26 Series of 2018 12 October 2018

Based on the latest laboratory results of the Bureau of Fisheries and Aquatic Resources (BFAR) and Local Government Units (LGUs), shellfishes collected at Matarinao Bay in Eastern Samar; Lianga Bay in Surigao del Sur; Coastal waters of Dauis and Tagbilaran City in Bohol; and Coastal waters of Milagros in Masbate are still positive for paralytic shellfish poison that is beyond the regulatory limit.



All types of shellfish and Acetes sp. or alamang gathered from the area shown above are NOT SAFE for human consumption. Fish, squids, shrimps and crabs are safe for human consumption provided that they are fresh and washed thoroughly, and internal organs such as gills and intestines are removed before cooking.

The following areas continue to be FREE from toxic red tides: coastal waters of Cavite, Las Piñas, Parañaque, Navotas , Bulacan and Bataan (Mariveles, Limay, Orion, Pilar, Balanga, Orani, Abucay and Samal) in Manila Bay; coastal waters of Bolinao, Anda, Alaminos, Sual and Wawa, Bani in Pangasinan; Masinloc Bay in Zambales; coastal waters of Mandaon and Placer in Masbate; Juag Lagoon, Matnog and Sorsogon Bay in Sorsogon; Honda and Puerto Princesa Bays, Puerto Princesa City and coastal waters of Inner Malampaya Sound, Taytay in Palawan; coastal waters of Gigantes Islands, Carles in Iloilo; coastal waters of Pilar, Panay, President Roxas and Roxas City in Capiz; Sapian Bay (Ivisan and Sapian in Capiz; Mambuquiao and Camanci, Batan in Aklan); Altavas, Batan and New Washington in Batan Bay, Aklan; coastal waters of E.B. Magalona, Talisay City, Silay City, Bacolod City, Hinigaran and Victorias City in Negros Occidental; Tambobo and Silt Bays, Siaton and Bais Bay, Bais City in Negros Oriental; coastal waters of Daram Island, Maqueda, Villareal, Irong-Irong and Cambatutay Bays in Western Samar; San Pedro and Cancabato Bays, Tacloban City, coastal waters of Leyte, Calubian and Carigara Bay in Leyte; coastal waters of Biliran Province; Dumanquillas Bay in Zamboanga del Sur; Tantanang Bay in Zamboanga Sibugay; Murclelagos Bay in Zamboanga del Norte and Misamis Occidental; Taguines Lagoon, Benoni, Mahinog in Camiguin Island; Balite and Pujada Bays, Mati in Davao Oriental; and Hinatuan and Bislig Bays in Surigao del Sur.



Shellfish Bulletin No. 27 Series of 2018 29 October 2018

Based on the latest laboratory results of the Bureau of Fisheries and Aquatic Resources (BFAR) and Local Government Units (LGUs), shellfishes collected at Matarinao Bay in Eastern Samar; Lianga Bay in Surigao del Sur; Coastal waters of Dauis and Tagbilaran City in Bohol; and Coastal waters of Milagros in Masbate are still positive for paralytic shellfish poison that is beyond the regulatory limit.



All types of shellfish and Acetes sp. or alamang gathered from the area shown above are NOT SAFE for human consumption. Fish, squids, shrimps and crabs are safe for human consumption provided that they are fresh and washed thoroughly, and internal organs such as gills and intestines are removed before cooking.

The following areas continue to be FREE from toxic red tides: coastal waters of Cavite, Las Piñas, Parañague, Navotas , Bulacan and Bataan (Mariveles, Limay, Orion, Pilar, Balanga, Orani, Abucay and Samal) in Manila Bay; coastal waters of Bolinao, Anda, Alaminos, Sual and Wawa, Bani in Pangasinan; Masinloc Bay in Zambales; coastal waters of Mandaon and Placer in Masbate; Juag Lagoon, Matnog and Sorsogon Bay in Sorsogon; Honda and Puerto Princesa Bays, Puerto Princesa City and coastal waters of Inner Malampaya Sound, Taytay in Palawan; coastal waters of Gigantes Islands, Carles in Iloilo; coastal waters of Pilar, Panay, President Roxas and Roxas City in Capiz; Sapian Bay (Ivisan and Sapian in Capiz; Mambuquiao and Camanci, Batan in Aklan); Altavas, Batan and New Washington in Batan Bay, Aklan; coastal waters of E.B. Magalona, Talisay City, Silay City, Bacolod City, Hinigaran and Victorias City in Negros Occidental; Tambobo and Siit Bays, Siaton and Bais Bay, Bais City in Negros Oriental; coastal waters of Daram Island, Maqueda, Villareal, Irong-Irong and Cambatutay Bays in Western Samar; San Pedro and Cancabato Bays, Tacloban City, coastal waters of Leyte, Calubian and Carigara Bay in Leyte; coastal waters of Biliran Province; Dumanquillas Bay in Zamboanga del Sur; Tantanang Bay in Zamboanga Sibugay; Murcielagos Bay in Zamboanga del Norte and Misamis Occidental; Taguines Lagoon, Benoni, Mahinog in Camiguin Island; Balite and Pujada Bays, Mati in Davao Oriental; and Hinatuan and Bislig Bays in Surigao del Sur.



Republic of the Philippines Department of Agriculture BUREAU OF FISHERIES AND AQUATIC RESOURCES

PCA Building, Elliptical Road, Diliman, Quezon City 1101

Tel. No. (632) 929-9597 Fax No.: (632) 929-8074

Shellfish Bulletin No. 28 Series of 2018

08 November 2018

Based on the latest laboratory results of the Bureau of Fisheries and Aquatic Resources (BFAR) and Local Government Units (LGUs), shellfishes collected at Matarinao Bay in Eastern Samar; Lianga Bay in Surigao del Sur; Coastal waters of Dauis and Tagbilaran City in Bohol; and Coastal waters of Milagros in Masbate are still positive for paralytic shellfish poison that is beyond the regulatory limit. Moreover, Puerto Princesa Bay, Puerto Princesa City in Palawan is now positive for red tide toxin.



All types of shellfish and Acetes sp. or alamang gathered from the area shown above are NOT SAFE for human consumption. Fish, squids, shrimps and crabs are safe for human consumption provided that they are fresh and washed thoroughly, and internal organs such as gills and intestines are removed before cooking.

The following areas continue to be FREE from toxic red tides: coastal waters of Cavite, Las Piñas, Parañaque, Navotas , Bulacan and Bataan (Mariveles, Limay, Orion, Pilar, Balanga, Orani, Abucay and Samal) in Manila Bay; coastal waters of Bolinao, Anda, Alaminos, Sual and Wawa, Bani in Pangasinan; Masinloc Bay in Zambales; coastal waters of Mandaon and Placer in Masbate; Juag Lagoon, Matnog and Sorsogon Bay in Sorsogon; Honda Bay, Puerto Princesa City and coastal waters of Inner Malampaya Sound, Taytay in Palawan; coastal waters of Gigantes Islands, Carles in Iloilo; coastal waters of Pilar, Panay, President Roxas and Roxas City in Capiz; Sapian Bay (Ivisan and Sapian in Capiz; Mambuquiao and Camanci, Batan in Aklan); Altavas, Batan and New Washington in Batan Bay, Aklan; coastal waters of E.B. Magalona, Talisay City, Silay City, Bacolod City, Hinigaran and Victorias City in Negros Occidental; Tambobo and Siit Bays, Siaton and Bais Bay, Bais City in Negros Oriental; coastal waters of Daram Island, Maqueda, Villareal, Irong-Irong and Cambatutay Bays in Western Samar; San Pedro and Cancabato Bays, Tacloban City, coastal waters of Leyte, Calubian and Carigara Bay in Leyte; coastal waters of Biliran Province; Dumanquillas Bay in Zamboanga del Sur; Tantanang Bay in Zamboanga Sibugay; Murcielagos Bay in Zamboanga del Norte and Misamis Occidental; Taguines Lagoon, Benoni, Mahinog in Camiguin Island; Balite and Pujada Bays, Mati in Davao Oriental; and Hinatuan and Bislig Bays in Surigao del Sur.



Shellfish Bulletin No. 29 Series of 2018 23 November 2018

Based on the latest laboratory results of the Bureau of Fisheries and Aquatic Resources (BFAR) and Local Government Units (LGUs), shellfishes collected at Matarinao Bay in Eastern Samar; Lianga Bay in Surigao del Sur; Coastal waters of Dauis and Tagbilaran City in Bohol; Coastal waters of Milagros in Masbate; and Puerto Princesa Bay, Puerto Princesa City in Palawan are still positive for paralytic shellfish poison that is beyond the regulatory limit. Moreover, Coastal waters of Pampanga and Bataan (Mariveles, Limay, Orion, Pilar, Balanga, Orani, Abucay and Samal) are now



All types of shellfish and Acetes sp. or alamang gathered from the area shown above are NOT SAFE for human consumption. Fish, squids, shrimps and crabs are safe for human consumption provided that they are fresh and washed thoroughly, and internal organs such as gills and intestines are removed before cooking.

The following areas continue to be FREE from toxic red tides: coastal waters of Cavite, Las Piñas, Parañaque, Navotas, Bulacan and in Manila Bay; coastal waters of Bolinao, Anda, Alaminos, Sual and Wawa, Bani in Pangasinan; Masinloc Bay in Zambales; coastal waters of Mandaon and Placer in Masbate; Juag Lagoon, Matnog and Sorsogon Bay in Sorsogon; Honda Bay, Puerto Princesa City and coastal waters of Inner Malampaya Sound, Taytay in Palawan; coastal waters of Gigantes Islands, Carles in Iloilo; coastal waters of Pilar, Panay, President Roxas and Roxas City in Capiz; Sapian Bay (Ivisan and Sapian in Capiz; Mambuquiao and Camanci, Batan in Aklan); Altavas, Batan and New Washington in Batan Bay, Aklan; coastal waters of E.B. Magalona, Talisay City, Silay City, Bacolod City, Hinigaran and Victorias City in Negros Occidental; Tambobo and Silt Bays, Silaton and Bais Bay, Bais City in Negros Oriental; coastal waters of Daram Island, Maqueda, Villareal, Irong-Irong and Cambatutay Bays in Western Samar; San Pedro and Cancabato Bays, Tacloban City, coastal waters of Leyte, Calubian and Carigara Bay in Leyte; coastal waters of Biliran Province; Dumanquillas Bay in Zamboanga del Sur; Tantanang Bay in Zamboanga Sibugay; Murcielagos Bay in Zamboanga del Norte and Misamis Occidental; Taguines Lagoon, Benoni, Mahinog in Camiguin Island; Balite and Pujada Bays, Mati in Davao Oriental; and Hinatuan and Bislig Bays in Surigao del Sur.



Shellfish Bulletin No. 30 Series of 2018

14 December 2018

Based on the latest laboratory results of the Bureau of Fisheries and Aquatic Resources (BFAR) and Local Government Units (LGUs), shellfishes collected at Matarinao Bay in Eastern Samar; Coastal waters of Dauis and Tagbilaran City in Bohol; Lianga Bay in Surigao del Sur; Puerto Princesa Bay, Puerto Princesa City in Palawan; and Coastal waters of Pampanga and Bataan (Mariveles, Limay, Orion, Pilar, Balanga, Orani, Abucay and Samal) are still positive for paralytic shellfish poison that is beyond the regulatory limit.



All types of shellfish and Acetes sp. or alamang gathered from the area shown above are NOT SAFE for human consumption. Fish, squids, shrimps and crabs are safe for human consumption provided that they are fresh and washed thoroughly, and internal organs such as gills and intestines are removed before cooking.

The following areas continue to be FREE from toxic red tides: coastal waters of Cavite, Las Piñas, Parañaque, Navotas, and Bulacan in Manila Bay; coastal waters of Bolinao, Anda, Alaminos, Sual and Wawa, Bani in Pangasinan; Masinloc Bay in Zambales; coastal waters of Mandaon and Placer in Masbate; Juag Lagoon, Matnog and Sorsogon Bay in Sorsogon; Honda Bay, Puerto Princesa City and coastal waters of Inner Malampaya Sound, Taytay in Palawan; coastal waters of Gigantes Islands, Carles in Iloilo; coastal waters of Pilar, Panay, President Roxas and Roxas City in Capiz; Sapian Bay (Ivisan and Sapian in Capiz; Mambuquiao and Camanci, Batan in Aklan); Altavas, Batan and New Washington in Batan Bay, Aklan; coastal waters of E.B. Magalona, Talisay City, Silay City, Bacolod City, Hinigaran and Victorias City in Negros Occidental; Tambobo and Silt Bays, Siaton and Bais Bay, Bais City in Negros Oriental; coastal waters of Daram Island, Maqueda, Villareal, Irong-Irong and Cambatutay Bays in Western Samar; San Pedro and Cancabato Bays, Tacloban City, coastal waters of Leyte, Calubian and Carigara Bay in Leyte; coastal waters of Biliran Province; Dumanquillas Bay in Zamboanga del Sur; Tantanang Bay in Zamboanga Sibugay; Murcielagos Bay in Zamboanga del Norte and Misamis Occidental; Taguines Lagoon, Benoni, Mahinog in Camiguin Island; Balite and Pujada Bays, Mati in Davao Oriental; and Hinatuan and Bislig Bays in Surigao del Sur. Moreover, Coastal waters of Milagros in Masbate is now free of the toxic red tides.




Republic of the Philippines Department of Agriculture BUREAU OF FISHERIES AND AQUATIC RESOURCES PCA Building, Elliptical Road, Diliman, Quezon City 1101

Tel. No. (632) 929-9597 Fax No.: (632) 929-8074

Shellfish Bulletin No. 31 Series of 2018

28 December 2018

Based on the latest laboratory results of the Bureau of Fisheries and Aquatic Resources (BFAR) and Local Government Units (LGUs), shellfishes collected at Matarinao Bay in Eastern Samar; Coastal waters of Dauis and Tagbilaran City in Bohol; Lianga Bay in Surigao del Sur; Puerto Princesa Bay, Puerto Princesa City in Palawan; and Coastal waters of Pampanga and Bataan (Mariveles, Limay, Orion, Pilar, Balanga, Orani, Abucay and Samal) are still positive for paralytic shellfish poison that is beyond the regulatory limit.



All types of shellfish and Acetes sp. or alamang gathered from the area shown above are NOT SAFE for human consumption. Fish, squids, shrimps and crabs are safe for human consumption provided that they are fresh and washed thoroughly, and internal organs such as gills and intestines are removed before cooking.

The following areas continue to be FREE from toxic red tides: coastal waters of Cavite, Las Piñas, Parañaque, Navotas, and Bulacan in Manila Bay; coastal waters of Bolinao, Anda, Alaminos, Sual and Wawa, Bani in Pangasinan; Masinloc Bay in Zambales; coastal waters of Milagros, Mandaon and Placer in Masbate; Juag Lagoon, Matnog and Sorsogon Bay in Sorsogon; Honda Bay, Puerto Princesa City and coastal waters of Inner Malampaya Sound, Taytay in Palawan; coastal waters of Gigantes Islands, Carles in Iloilo; coastal waters of Pilar, Panay, President Roxas and Roxas City in Capiz; Sapian Bay (Ivisan and Sapian in Capiz; Mambuquiao and Camanci, Batan in Aklan); Altavas, Batan and New Washington in Batan Bay, Aklan; coastal waters of E.B. Magalona, Talisay City, Silay City, Bacolod City, Hinigaran and Victorias City in Negros Occidental; Tambobo and Siit Bays, Siaton and Bais Bay, Bais City in Negros Oriental; coastal waters of Daram Island, Maqueda, Villareal, Irong-Irong and Cambatutay Bays in Western Samar; San Pedro and Cancabato Bays, Tacloban City, coastal waters of Leyte, Calubian and Carigara Bay in Leyte; coastal waters of Biliran Province; Dumanquillas Bay in Zamboanga del Sur; Tantanang Bay in Zamboanga Sibugay; Murcielagos Bay in Zamboanga del Norte and Misamis Occidental; Taguines Lagoon, Benoni, Mahinog in Camiguin Island; Balite and Pujada Bays, Mati in Davao Oriental; and Hinatuan and Bislig Bays in Surigao del Sur.