

WEEKLY NATIONAL CONSOLIDATED PRICE MONITORING REPORT (NCPMR)



Republic of the Philippines
 Department of Agriculture
BUREAU OF FISHERIES AND AQUATIC RESOURCES
 Philippine Coconut Authority Complex, Elliptical Road, Diliman, Quezon City 1118
 Tel. No. (632) 929-9597; Fax No.: (632) 929-8074

DATE COVERED: November 1-30, 2020

| TOP FISHERY COMMODITIES | | | | | | | | | | | | | | | | | | | | | | Regional Prevailing Price (Php/kg) | | | | | | | | | | | | NATIONAL | | |
|-------------------------|-------------------------------|------------------------|--|-----------|---------|-----|-----------|-----------|-----------|---------|-----------|-----------|----------|-----------|-----------|-----------|-----------|-----------|---------|---------------------------|-----------|------------------------------------|-----|-----|--|--|--|--|--|--|--|--|--|----------|--|--|
| Scientific Name | English Name | Local Name | CAR | 1 | 2 | 3 | 4A | 4B | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | BARM | NCR | Prevailing Price (Php/kg) | High | Low | | | | | | | | | | | | | | |
| 1 | <i>Chanos chanos</i> | Milkfish | Bangus/Bangrus | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | | | | | | | | | | | | |
| | | | Small (6pcs and above) | 130 & 160 | 80-150 | 160 | 120 | 90 & 110 | 160 | 160 | 100 & 110 | 130 | 150 | 100 | 100 & 120 | 80 & 130 | 120 & 160 | 120 | - | 120 | 120 & 160 | 160 | 80 | | | | | | | | | | | | | |
| | | | Medium (3-5 pcs) | 190 | 110-160 | 180 | 140 | 145 | 200 | - | 200 | 150 | 160 | 120 & 130 | 120 & 140 | 140 | 130 | 140-160 | 120 | 160 | 140 & 160 | 200 | 110 | | | | | | | | | | | | | |
| 2 | <i>Oreochromis niloticus</i> | Tilapia | Tilapia/Pla-pla | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | | | | | | | | | | | | |
| | | | Small (6 pcs and above) | 100 & 120 | 120 | 80 | 90 & 100 | 90 & 100 | 130 | 160 | 140 | 140 | 100 | 100 | 100 | 120 | 100 | 140 | - | 110 | 100 | 160 | 80 | | | | | | | | | | | | | |
| | | | Medium (3-5 pcs) | 120-150 | 140 | 120 | 120 | 120 | 160 | 160 | 120 & 160 | 120-160 | 120-150 | 100 & 140 | 120 | 120 | 120 | 160 | 180 | 120 | 120 | 180 | 100 | | | | | | | | | | | | | |
| 3 | <i>Penaeus vannamei</i> | Whiteleg shrimp | Hipon/Pasayan/Urang/Bingalo/Sugpo/Suahe/Hipong | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | | | | | | | | | | | | |
| | | | Small (61 pcs and above) | 360 | 250-280 | - | 300 | 300 | 350 | 200 | 280 | 300 | 250 | 180-350 | 350 | 240 | - | 280 & 300 | - | 320 | 300 | 360 | 180 | | | | | | | | | | | | | |
| | | | Medium (31 pcs to 60pcs) | 400 | 300-450 | 500 | 350 & 360 | 480 | 450 | 500 | 350 | 300 & 350 | 200 | 300 | 280 | 240 | 300 | 300 & 320 | - | 360 & 500 | 300 | 500 | 200 | | | | | | | | | | | | | |
| 4 | <i>Gracilaria sp.</i> | Seaweeds | Guso/Gurguraman/Kanot-kanot/Agar- | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | | | | | | | | | | | | |
| | | | Small (61 pcs and above) | 360 | 250-280 | - | 300 | 300 | 350 | 200 | 280 | 300 | 250 | 180-350 | 350 | 240 | - | 280 & 300 | - | 320 | 300 | 360 | 180 | | | | | | | | | | | | | |
| | | | Medium (31 pcs to 60pcs) | 400 | 300-450 | 500 | 350 & 360 | 480 | 450 | 500 | 350 | 300 & 350 | 200 | 300 | 280 | 240 | 300 | 300 & 320 | - | 360 & 500 | 300 | 500 | 200 | | | | | | | | | | | | | |
| 5 | <i>Crassostrea iredalei</i> | Oyster | Talaba/Tirem/Sisi/Tahong | - | 100-300 | - | - | 100 | - | - | 40 & 60 | 60 | - | - | - | 80 | 50 | - | 100 | 100 | 300 | 40 | | | | | | | | | | | | | | |
| | | | Small (61 pcs and above) | 360 | 250-280 | - | 300 | 300 | 350 | 200 | 280 | 300 | 250 | 180-350 | 350 | 240 | - | 280 & 300 | - | 320 | 300 | 360 | 180 | | | | | | | | | | | | | |
| | | | Medium (31 pcs to 60pcs) | 400 | 300-450 | 500 | 350 & 360 | 480 | 450 | 500 | 350 | 300 & 350 | 200 | 300 | 280 | 240 | 300 | 300 & 320 | - | 360 & 500 | 300 | 500 | 200 | | | | | | | | | | | | | |
| 6 | <i>Perna viridis</i> | Mussel | Tahong/Kinason/Alamahong | 120 | 120 | 100 | 100 | 100 | 120 | 60 | 80 | 120 | 60 | - | 100 | 80 | 140 | 60 & 80 | - | 160 | 100 & 120 | 160 | 60 | | | | | | | | | | | | | |
| | | | Small (61 pcs and above) | 360 | 250-280 | - | 300 | 300 | 350 | 200 | 280 | 300 | 250 | 180-350 | 350 | 240 | - | 280 & 300 | - | 320 | 300 | 360 | 180 | | | | | | | | | | | | | |
| | | | Medium (31 pcs to 60pcs) | 400 | 300-450 | 500 | 350 & 360 | 480 | 450 | 500 | 350 | 300 & 350 | 200 | 300 | 280 | 240 | 300 | 300 & 320 | - | 360 & 500 | 300 | 500 | 200 | | | | | | | | | | | | | |
| 7 | <i>Scylla serrata</i> | Mudcrab | Alimango/Rasa/Alama/Han- | - | - | - | - | - | 400-700 | - | - | - | - | - | 700 | - | - | - | - | - | 700 | 400 | | | | | | | | | | | | | | |
| | | | Male | - | 500 | 650 | 400-600 | 400-600 | 400 & 500 | - | 350 | 400 & 500 | 600 | 500 | 100-300 | - | - | 500 & 750 | 250 | 500 | 500 | 750 | 100 | | | | | | | | | | | | | |
| | | | Female | - | 500 | 700 | 700 | 700 | 400 & 700 | - | 400 | 500 | - | 500 | 450 | - | - | 450 & 900 | 250 | 500 | 500 & 700 | 900 | 250 | | | | | | | | | | | | | |
| 8 | <i>Portunus pelagicus</i> | Blue swimming Crab | Alimasag/Dariway/Galiwey/Kasag/Lambay/Masag/Kagang | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | | | | | | | | | | | | |
| | | | Small/Medium (7 pcs and above) | 240 | 230-250 | - | 160-360 | 300 | 250 | 150 | 250 | 200 | 150 | 200-340 | 300 & 350 | - | 250-350 | 230&250 | 450 | 250 | 450 | 150 | | | | | | | | | | | | | | |
| | | | Large (1-6 pcs) | - | 250 | - | 200-380 | 300 | 250 | 250 | 250 | 250 | 500 | 200 | 350 | 200 | - | 380 | 350 | 250&300 | 400 | 250 | 500 | 200 | | | | | | | | | | | | |
| 9 | <i>Thunnus albacares</i> | Yellowfin Tuna | Tambakol/Albakora/Tuna/Tulingan/Tangi/Bangkulis/Panit/Bantalaan/Bantaeaan/Bariles/Pak- | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | | | | | | | | | | | | |
| | | | Whole | 220 | 200 | 300 | 160-280 | 250 & 280 | 350 | 180 | 200 | 160 | 150-200 | 160 | 280 | 360 | 120 & 180 | 160 & 260 | 100-330 | 280 | 160 & 280 | 360 | 100 | | | | | | | | | | | | | |
| | | | Sliced | - | 340 | 380 | - | 300 | 260 | - | 280 | 240 | 160 | 300 | 160 | 300 | 280 | 380 | 75-330 | 400 | 300 | 400 | 75 | | | | | | | | | | | | | |
| 10 | <i>Sardinella fimbriata</i> | Fringescale Sardinella | Gulyasan/Dumadara/Buslugan/Tangi/Pundahan/Kanturayan/Gurayan/Budlis/Salimbagon/Budlisan/Tulingan/Puyan/Samb | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | | | | | | | | | | | | |
| | | | Whole | - | - | - | 120 & 200 | 120 | 180 | 160 | 180 | - | 120-180 | 250 | 120-160 | 120 | 70 & 80 | 90-140 | 100-160 | 130-200 | 120 | 250 | 70 | | | | | | | | | | | | | |
| | | | Sliced | - | 200 | - | - | 180 | 160-200 | - | - | - | 200 | 120 | 180 | 120 & 140 | 320 | - | 180 | 75-200 | 120 | 200 | 320 | 75 | | | | | | | | | | | | |
| 11 | <i>Rastrelliger kanagurta</i> | Indian Mackerel | Tulingan/Tangi/Bonito/Tulingan-Lapad/Turingan/Aloy Mangko/Pirit/Bolis/Lapad/Pidl | 180 | 140 | 200 | 140 & 160 | 180 | 120 | 100-140 | 180-250 | 140 | 120 | 120 | 120 | 120 | 120 | 120 & 180 | 110-160 | 240 | 120 | 250 | 100 | | | | | | | | | | | | | |
| | | | Whole | - | - | - | 120 & 200 | 120 | 180 | 160 | 180 | - | 120-180 | 250 | 120-160 | 120 | 70 & 80 | 90-140 | 100-160 | 130-200 | 120 | 250 | 70 | | | | | | | | | | | | | |
| | | | Sliced | - | 200 | - | - | 180 | 160-200 | - | - | - | 200 | 120 | 180 | 120 & 140 | 320 | - | 180 | 75-200 | 120 | 200 | 320 | 75 | | | | | | | | | | | | |
| 12 | <i>Axius thazard</i> | Frigate Tuna | Tulingan/Tangi/Bonito/Tulingan-Bilog/Aloy/Mangko Pirit/Turingan/Bolis/Mangku/Pidlayan/Budboron | - | - | - | 120 | 120 | 100 | 200 | 100 | 140 & 160 | 150 | 250 | 130 | 120 | 140 | 120 & 180 | 110-140 | 160-240 | 120 | 250 | 100 | | | | | | | | | | | | | |
| | | | Whole | - | - | - | 120 & 200 | 120 | 180 | 160 | 180 | - | 120-180 | 250 | 120-160 | 120 | 70 & 80 | 90-140 | 100-160 | 130-200 | 120 | 250 | 70 | | | | | | | | | | | | | |
| | | | Sliced | - | 200 | - | - | 180 | 160-200 | - | - | - | 200 | 120 | 180 | 120 & 140 | 320 | - | 180 | 75-200 | 120 | 200 | 320 | 75 | | | | | | | | | | | | |
| 13 | <i>Axius rochei</i> | Bullet Tuna | Tunsoy/Bilis/Tamban/Tawilis/Lawlaw/Tunsoy/Manamsi/Tabagak/Mangsi/Tapisok/Tayapad/ | - | - | - | - | 160 & 200 | 50 | - | - | 40 | 150 | 80 | - | - | 50 | 20&90 | 120 | 50 | 200 | 20 | | | | | | | | | | | | | | |
| | | | Whole | - | - | - | 120 & 200 | 120 | 180 | 160 | 180 | - | 120-180 | 250 | 120-160 | 120 | 70 & 80 | 90-140 | 100-160 | 130-200 | 120 | 250 | 70 | | | | | | | | | | | | | |
| | | | Sliced | - | 200 | - | - | 180 | 160-200 | - | - | - | 200 | 120 | 180 | 120 & 140 | 320 | - | 180 | 75-200 | 120 | 200 | 320 | 75 | | | | | | | | | | | | |
| 14 | <i>Sardinella lemuru</i> | Bali Sardinella | Tamban/Tunsoy/Lawlaw/Tabagak/Tuloy/Mangsi/Kasig | - | 100 | 150 | 60-160 | 60 | 50 | 60 | 80 | 50-70 | 60 & 100 | 70 | 40 | 60 & 70 | 70 | 40 & 120 | 20-90 | 100 | 60 | 160 | 20 | | | | | | | | | | | | | |
| | | | Whole | - | - | - | 120 & 200 | 120 | 180 | 160 | 180 | - | 120-180 | 250 | 120-160 | 120 | 70 & 80 | 90-140 | 100-160 | 130-200 | 120 | 250 | 70 | | | | | | | | | | | | | |
| | | | Sliced | - | 200 | - | - | 180 | 160-200 | - | - | - | 200 | 120 | 180 | 120 & 140 | 320 | - | 180 | 75-200 | 120 | 200 | 320 | 75 | | | | | | | | | | | | |
| 15 | <i>Sardinella gibbosa</i> | Goldstripe Sardinella | Tamban/Tunsoy/Lawlaw/Tabagak/Tuloy/Mangsi/Kasig | 80-100 | - | 100 | 120 | 120 | 160 | 40 | 100 | 80 | 100 | - | 15-60 | 45 & 80 | 60 | 60 | 20-85 | - | 100 | 160 | 15 | | | | | | | | | | | | | |
| | | | Whole | - | - | - | 120 & 200 | 120 | 180 | 160 | 180 | - | 120-180 | 250 | 120-160 | 120 | 70 & 80 | 90-140 | 100-160 | 130-200 | 120 | 250 | 70 | | | | | | | | | | | | | |
| | | | Sliced | - | 200 | - | - | 180 | 160-200 | - | - | - | 200 | 120 | 180 | 120 & 140 | 320 | - | 180 | 75-200 | 120 | 200 | 320 | 75 | | | | | | | | | | | | |
| 16 | <i>Rastrelliger kanagurta</i> | Indian Mackerel | Alumahan/Kabalias/Kabalyas/Baraniti/Tanigue/Tangigue/Buraw/Boraw/Karabalyas/Anduh | - | 160 | - | 180-350 | 250 | 240 | 280 | 120 | 80-250 | 250 | 100 & 120 | 140 | 140-180 | - | 220 & 240 | 50 | 240 | 240 & 250 | 350 | 50 | | | | | | | | | | | | | |
| | | | Whole | - | - | - | 120 & 200 | 120 | 180 | 160 | 180 | - | 120-180 | 250 | 120-160 | 120 | 70 & 80 | 90-140 | 100-160 | 130-200 | 120 | 250 | 70 | | | | | | | | | | | | | |
| | | | Sliced | - | 200 | - | - | 180 | 160-200 | - | - | - | 200 | 120 | 180 | 120 & 140 | 320 | - | 180 | 75-200 | 120 | 200 | 320 | 75 | | | | | | | | | | | | |

| TOP FISHERY COMMODITIES | | | | Regional Prevailing Price (Php/kg) | | | | | | | | | | | | | | | | | NATIONAL | | |
|----------------------------------|-----------------------------------|--------------------------------|---|------------------------------------|-----------|-----------|-----------|-----------|-----------|-----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|-----------|---------------------------|------|-----|
| | Scientific Name | English Name | Local Name | CAR | 1 | 2 | 3 | 4A | 4B | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | BARM | NCR | Prevailing Price (Php/kg) | High | Low |
| | <i>Scomberomorus commerson</i> | Narrow-barred Spanish Mackerel | Tangigue/Tanigue/Tangi/Kara balyas | - | 350 | - | 320-380 | 200 | 300 | - | 350 | 350 | 200 | 300 | 450 | - | 380 | 380 | 120 | 300 | 300-380 | 450 | 120 |
| 12 | <i>Decapterus macrosoma</i> | Shortfin Scad | Galunggong/Baraniti/Bulilit/Galunggong Lalake/Sibobog/Tamodios/Marot Borot/Lambarok | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | | | Small (21 pcs and above) | - | - | - | 240 | 170-240 | 50 | 160 | 120 | - | 100-150 | 140 | 80 | 100 | 120 | - | 50&60 | 180-250 | 50-240 | 250 | 50 |
| | | | Medium (11-20 pcs) | 220 | 120-180 | 140 & 150 | 200 & 300 | 180 & 200 | 80 | 160 | - | 220 | 160 | 100 | 100 | 80 & 140 | 100 & 120 | 120-160 | 90-140 | 280 | 100-160 | 300 | 80 |
| | | | Large (7-10 pcs) | - | - | 180 | 240 & 280 | 200 & 240 | 100 | - | 200 | 160 | 150 & 180 | 160 | 140 | 150 | 80-160 | 160 | 100 | 200-350 | 160 | 350 | 80 |
| 13 | <i>Loligo sp.</i> | Squid | Pusit | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 120 | - | - | 120 | 120 | 120 |
| | | | Lumot/Laki/Kanuos/Nokus/Nokos/Nokos/Tostos/Baghak/C | 360 | - | 300 & 350 | 300 & 460 | 250 & 500 | 200 | 180 | 200 | 650 | 120 | 120 | 150 | 140 & 180 | 120 & 380 | 240 & 380 | 200 | 320 & 400 | 120 & 200 | 500 | 120 |
| | | | Bisaya/Kalawang/Lapis/Laki/Kanuos/Nokus/Nokos/Nokos/Nokos/Tostos/Baghak/C | 160 | 180 | 180 | 160 | 180 | 120 & 160 | - | 200 | 140-200 | 200-280 | 220 | 120 & 350 | 120 | 180 | 280 & 380 | 100&180 | 360 | 180 | 380 | 100 |
| | <i>Lutjanus sp.</i> | Snapper | Maya-maya/Angurat/Burara/Aluman/ | 200 | - | 350 | 260 | 240 | 200 | 340 | 300 | 350 | 320 | 250 & 300 | 350 | 450 | 400 | 450 | 90&100 | 300 | 300 & 350 | 450 | 90 |
| 15 | <i>Epinephelus sp.</i> | Grouper | Lapu-lapu/Baraka/Inid/Pugado/Tingag/Pogapo/Baraka/Lapu-lapo | - | 120-350 | 400 | 350 | 120 & 180 | 300-380 | 200 | 400 | 400 | 220-380 | 300 | 450 | 380 | 350 | 340 & 350 | 220-350 | 200-650 | 350 | 650 | 120 |
| | <i>Epinephelus sp.</i> | Grouper (Red) | Lapu-lapu/Pulahan/Baraka/Inid/Pugado/Tingag/Pogapo/Baraka/Pu | - | - | 300 | 260-500 | 260-500 | 300 | - | - | 400 & 450 | 320 & 350 | 400 | - | 500 | 400 | 380 & 580 | 210&300 | 450 | 300-500 | 500 | 210 |
| OTHER FISHERY COMMODITIES | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | <i>Acanthurus olivaceus</i> | Orangespot Surgeonfish | Uring/Tarian | - | - | - | - | - | - | - | - | - | 120 & 130 | - | - | - | - | - | - | - | 120 & 130 | 130 | 120 |
| 2 | <i>Acanthurus sp.</i> | Surgeon Fish | Labahita | - | - | 240 | - | - | 70 | - | - | - | - | - | - | - | - | - | - | 150 | 70-240 | 240 | 70 |
| 3 | <i>Alectis ciliaris</i> | African Pompano | Talakitok | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 100-160 | - | 100-160 | 160 | 100 |
| 4 | <i>Atule mate</i> | Yellowtail Scad | Salay- | - | - | - | - | 100-200 | - | - | 180 | - | - | - | - | - | - | - | - | 280 & 300 | 100-300 | 300 | 100 |
| 5 | <i>Caesio sp.</i> | Fusilier | Dalagang Bukid | - | - | - | 280 | 280 | 100 | - | - | - | - | - | - | - | - | - | - | - | 280 | 280 | 100 |
| 6 | <i>Caesio cuning</i> | Redbelly Yellowtail Fusilier | Dalagang Bukid Lapad/Sinaw-an | - | 170 | 220 | - | 200 | - | - | - | - | 160 & 200 | - | - | - | - | - | - | 350 | 200 | 350 | 160 |
| 7 | <i>Carangoides ferdau</i> | Blue Trevally | Talakitok/Sibo | - | - | - | 240-450 | 240-250 | - | 360 & 380 | - | - | 300 | - | - | - | - | - | - | - | 240 | 450 | 240 |
| 8 | <i>Carangoides fulvoguttatus</i> | Yellow/Gold-spotted Trevally | Talakitok/Mamsa | - | - | - | - | - | - | - | - | - | 280-380 | - | - | - | - | - | - | - | 280-380 | 380 | 280 |
| 9 | <i>Carangoides malabaricus</i> | Malabar Trevally | Lison | - | - | - | - | - | - | - | 350 | - | - | - | - | - | - | - | - | - | 350 | 350 | 350 |
| 10 | <i>Caranx ignobilis</i> | Giant Trevally | Talakitok | - | - | - | - | - | 130 | - | - | - | - | - | - | - | - | - | - | - | 130 | 130 | 130 |
| 11 | <i>Caranx sexfasciatus</i> | Big Eye Trevally | Talakitok | - | 120 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 120 | 120 | 120 |
| 12 | <i>Caranx sp.</i> | Trevally | Talakitok | - | - | - | - | - | - | - | - | - | - | - | - | 360 | - | - | - | 400 | 250-400 | 400 | 250 |
| 13 | <i>Caranx melampygus</i> | Bluefin Trevally | Talakitok/Mamsa/Lison | - | - | - | - | - | - | - | - | 250 & 350 | - | - | - | - | - | - | - | - | 250 & 350 | 350 | 250 |
| 17 | <i>Channa striata</i> | Mudfish/Striped Snakehead | Haw-An/Dalag/Aluan | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 120 | - | - | 120 | 120 | 120 |
| 10 | <i>Clarias batrachus</i> | Philippines Catfish | Hito/Paltat | - | - | - | - | - | - | - | - | - | - | - | - | 80 | - | - | - | - | 80 | 80 | 80 |
| 14 | <i>Clarias gariepinus</i> | African Catfish | Hito/Pantat | 140 | 130 & 140 | 130 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 130 & 140 | 140 | 130 |
| 15 | <i>Coryphaena hippurus</i> | Common Dolphin Fish | Dorao/Duradu/Lamadang/pa | - | - | 180 | 160 | 160 | - | 180-300 | - | - | 160 | - | - | 140 | - | - | - | - | 160 | 300 | 140 |
| 16 | <i>Coryphaena sp.</i> | Dolphin Fish | Pandawan | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 120 | 120 | 120 | 120 |
| 13 | <i>Cypselurus sp.</i> | Flying Fish | Iliw/Barongoy/Baro-baro | - | - | - | - | 70 | - | - | - | - | - | - | - | - | - | - | - | - | 70 | 70 | 70 |
| 17 | <i>Decapterus kurroides</i> | Redtail Scad | Burot/Budloy/Tabilos/Butsawa | - | - | - | - | - | - | 160 | - | - | - | - | - | - | - | - | - | 170-260 | 160-260 | 260 | 160 |
| 18 | <i>Decapterus macarellus</i> | Mackerel Scad | Balsa | - | - | 140 | - | - | - | - | - | - | - | - | - | - | - | - | - | 240 | 140 & 240 | 240 | 140 |
| 19 | <i>Decapterus russelli</i> | Indian Scad | Galunggong | 180 & 200 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 200 | 200 | 200 | 180 |
| 20 | <i>Decapterus macrosoma</i> | Shortfin Scad | Galunggong (Imported) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 220 & 240 | 220 & 240 | 240 | 220 |
| 21 | <i>Elagatis bipinnulata</i> | Rainbow Runner | Salmon/Malasalmon/Salindato/Salmon/Malasolid/Manilaay/Salindatu | - | - | - | - | - | - | - | - | - | 140-160 | - | - | 140 | - | 140 & 180 | - | - | 140 | 180 | 140 |
| 22 | <i>Euthynnus affinis</i> | Eastern Little Tuna | Tambakol Parag/Tulingan/Damlog/Bogaongan | - | - | - | - | - | - | 200 & 250 | - | - | - | - | - | - | - | - | - | - | 200 & 250 | 250 | 200 |
| 23 | <i>Glossogobius giurii</i> | Tank Goby | Pijanga/Bias | - | - | - | - | - | - | - | - | - | - | - | - | - | 100 & 160 | - | - | - | 100 & 160 | 160 | 100 |
| 24 | <i>Gnathanodon speciosus</i> | Golden Trevally | Mamsa/Talakitok/Badlon | - | - | - | - | - | - | - | - | 350-450 | - | - | - | - | - | - | - | - | 350-450 | 450 | 350 |
| 25 | <i>Hemiramphus sp.</i> | Halfbeak | Salurasid/Borokon/Suasid/Bug | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 130-400 | 130-400 | 400 | 130 |
| 26 | <i>Hypoatherina temminckii</i> | Silverside | Dilis/bolinao | - | - | - | - | - | 100 | - | - | - | - | - | - | - | - | - | - | - | 100 | 100 | 100 |
| 27 | <i>Hypophthalmichthys nobilis</i> | Bighead Carp | Imelda | - | - | - | - | - | 120 | - | - | - | - | - | - | - | - | - | - | - | 120 | 120 | 120 |
| 28 | <i>Istiophorus platypterus</i> | Indo-Pacific Sailfish/Sailfish | Malasugi/Marang/Solisogi/Lipli | - | - | - | - | - | - | 340 | - | - | - | - | - | - | - | 100 | - | - | 100 & 340 | 340 | 100 |
| 29 | <i>Lambis lambis</i> | Spider conch | Ganga/Saang/Kahanga | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 50 | - | - | 50 | 50 | 50 |
| 30 | <i>Leiognathus equulus</i> | Common Ponyfish | Sapsap/Kyampi/Tambong | - | - | - | - | - | - | - | - | - | 100 & 120 | - | - | - | - | - | - | - | 100 & 120 | 120 | 100 |
| 31 | <i>Leiognathus splendens</i> | Splendid ponyfish | Sapsap | - | - | - | 300 | - | - | - | 60 & 100 | - | - | - | - | - | - | - | - | - | 60-300 | 300 | 60 |
| 32 | <i>Leiognathus sp.</i> | Pony Fish/Slipmouth | Lawayan/Tambong/Sapsap | - | 180 | - | - | - | 100 | 140 & 160 | - | - | - | - | - | - | - | - | - | 380 | 100-380 | 380 | 100 |
| 33 | <i>Lethrinus lentjan</i> | Pink Ear Emperor | Kanuping/Kirawan/Kulambal/L | - | - | - | - | - | - | - | - | - | 200 | 200 & 250 | - | - | - | - | - | - | 200 | 250 | 200 |
| 34 | <i>Lethrinus microdon</i> | Smalltooth Emperor | Katambak | - | - | - | - | - | - | - | - | 350 | - | 190-350 | - | - | - | - | - | - | 350 | 350 | 190 |
| 35 | <i>Lethrinus nebulosus</i> | Spangled Emperor | Mamad- | - | - | - | - | - | - | - | - | - | 150 & 280 | 250 | - | - | - | - | - | - | 150-280 | 280 | 150 |
| 36 | <i>Lethrinus ornatulus</i> | Ornate Emperor | Kanuping/Bukawin/Katambak | - | - | - | - | - | - | 280 | - | - | - | - | - | - | - | - | - | - | 280 | 280 | 280 |
| 37 | <i>Lethrinus sp.</i> | Emperor fish | Kanuping | - | - | - | - | 250 | 120 | - | - | - | - | - | - | - | - | - | 200 | - | 120-250 | 250 | 120 |
| 38 | <i>Makaira mazara</i> | Indo-pacific Blue Marlin | Malasugi | - | - | - | - | - | - | - | - | - | - | - | - | - | 400 | - | - | - | 400 | 400 | 400 |
| 39 | <i>Makaira nigricans</i> | Blue Marlin | Malasugi/Mantalaan | - | - | - | - | - | - | - | - | - | 350 | - | - | - | - | - | - | - | 350 | 350 | 350 |

| TOP FISHERY COMMODITIES | | | | | | | | | | | | | | | | | | | | | | Regional Prevailing Price (Php/kg) | | | | | | | | | | NATIONAL | | |
|-------------------------|--------------------------------|--|--|-----|---------|-----|-----|-----|-----|-----------|---------|-----------|-----------|-----------|-----|---------|----|----|------|---------|---------------------------|------------------------------------|-----------|---------|-----|-----|--|--|--|--|--|----------|--|--|
| | Scientific Name | English Name | Local Name | CAR | 1 | 2 | 3 | 4A | 4B | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | BARM | NCR | Prevailing Price (Php/kg) | High | Low | | | | | | | | | | | |
| 40 | <i>Mene maculata</i> | Moonfish | Chabita/Sapatero/Kadis/Hiwas/Chabita/Pateros/Blong- | - | - | 150 | - | 150 | - | - | - | - | - | - | - | - | - | - | - | 160-380 | 150 | 380 | 150 | | | | | | | | | | | |
| 41 | <i>Naso Unicornis</i> | Bluespine Unicorn Fish | Surahang/Gangis/Indangan/Kais | - | - | - | - | - | 140 | - | - | - | 100 | - | - | - | - | - | - | - | - | 100 & 140 | 140 | 100 | | | | | | | | | | |
| 42 | <i>Nemipterus bathybius</i> | Yellowbelly Threadfin Bream | Bisugo/Saguision/Suga/Olisi | - | - | - | - | - | - | - | - | - | 200 & 280 | - | - | - | - | - | - | - | - | 200 & 280 | 280 | 200 | | | | | | | | | | |
| 43 | <i>Nemipterus furcosus</i> | Fork-tailed threadfin bream | Bisugo | - | - | - | - | - | - | 260 | - | - | - | - | - | - | - | - | - | - | - | 260 | 260 | 260 | | | | | | | | | | |
| 44 | <i>Nemipterus hexodon</i> | Ornate Threadfin Bream | Saguision/Suga/Olisi/Marabara | - | - | - | - | - | - | - | - | - | 120 | - | - | - | - | - | - | - | - | 120 | 120 | 120 | | | | | | | | | | |
| 45 | <i>Nemipterus japonicus</i> | Japanese Threadfin Bream | Bisugo/Lagaw | - | 200 | 230 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 200 & 230 | 230 | 200 | | | | | | | | | | |
| 46 | <i>Nemipterus sp.</i> | Threadfin Bream | Bisugo | - | - | - | 240 | 240 | 120 | - | 250-320 | - | - | - | - | - | - | - | - | - | - | 240 | 320 | 120 | | | | | | | | | | |
| 47 | <i>Octopus vulgaris</i> | Common Octopus | Kugita/Pugita | - | - | - | - | - | 200 | - | - | - | - | 120 | - | - | - | - | - | - | - | 120 & 200 | 200 | 120 | | | | | | | | | | |
| 48 | <i>Parupeneus sp.</i> | Goatfish | Saramulyete | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 220-340 | 340 | 220 | | | | | | | | | | |
| 49 | <i>Pinna bicolor</i> | Pen shell | Baloko | - | - | - | - | - | - | 160 & 180 | - | - | - | - | - | - | - | - | - | - | - | 160 & 180 | 180 | 160 | | | | | | | | | | |
| 50 | <i>Pinna nobilis</i> | Noble Penshell | Sarad | - | - | - | - | - | - | - | - | - | 140 | - | - | - | - | - | - | - | - | 140 | 140 | 140 | | | | | | | | | | |
| 51 | <i>Plectorhinchus lineatus</i> | Yellowbanded Sweetlips | Lipti/Lanbian/Gabilan/Alatan | - | - | - | - | - | - | - | - | - | 200 | - | - | - | - | - | - | - | - | 200 | 200 | 200 | | | | | | | | | | |
| 52 | <i>Priacanthus sp.</i> | Red big eye | Kuwaw/Bukaw-Bukaw | - | - | - | - | - | - | - | 200 | - | - | - | - | - | - | - | - | - | 280 | 200 & 280 | 280 | 200 | | | | | | | | | | |
| 53 | <i>Pterocaesio dgramma</i> | Double-lined Fusilier | Dalagang Bukid Bilog/Solid | - | - | - | - | - | - | - | - | - | 120 | - | - | - | - | - | - | - | 200 & 300 | 120-300 | 300 | 120 | | | | | | | | | | |
| 54 | <i>Ranina-ranina</i> | Spanner crab/Red Frog Crab | Curacha/Kuracha | - | - | - | - | - | - | - | - | - | - | 400 | - | - | - | - | - | - | 370 | 370 & 400 | 400 | 370 | | | | | | | | | | |
| 55 | <i>Rastrelliger brachysoma</i> | Short-bodied Mackerel | Hasa- hasa/Baraniti/Kabalyas/Kabayas/Agumaa/Gumaa/Boraw | - | - | - | - | 300 | - | - | 120-160 | 200 | 160 | - | - | - | - | - | - | - | - | 200-300 | 160-300 | 300 | 160 | | | | | | | | | |
| 56 | <i>Rastrelliger sp.</i> | Mackerel | Hasa-hasa | - | - | - | - | - | 120 | - | - | - | - | - | - | - | - | - | - | - | - | 220-350 | 120-350 | 350 | 120 | | | | | | | | | |
| 57 | <i>Saurida tumbil</i> | Greater Lizard Fish | Kalaso/Talho/Tiki-tiki | - | - | - | - | - | - | - | - | - | 140 & 150 | - | - | - | - | - | - | - | - | 140 & 150 | 150 | 140 | | | | | | | | | | |
| 58 | <i>Scarus sp.</i> | Parrotfish | Mul-Mol/Mol-mol/Batagon | - | - | - | - | - | 70 | - | - | 120-250 | 130-180 | - | - | 160-240 | - | - | - | - | - | 120 | 120 | 250 | 70 | | | | | | | | | |
| 59 | <i>Scatophagus argus</i> | Spotted Scad | Kapiged/Kitang | - | 250-300 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 250-300 | 300 | 250 | | | | | | | | | | |
| 60 | <i>Scomber japonicus</i> | Chub Mackerel | Salmon | - | - | 130 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 130 | 130 | 130 | | | | | | | | | | |
| 61 | <i>Sepia spp.</i> | Cuttlefish | Bagulan/Baghak | - | - | - | - | - | - | - | - | - | 280 | - | - | - | - | - | - | - | - | - | 280 | 280 | 280 | | | | | | | | | |
| 62 | <i>Selar boops</i> | Oxeye Scad | Matang- | - | - | - | - | - | 240 | 160 | - | - | 180 | - | - | - | - | - | - | 100 | 100-240 | 100 & 240 | 240 | 100 | | | | | | | | | | |
| 63 | <i>Selar crumenophthalmus</i> | Big-eye Scad | Matangbaka/Matambaka/Matan/Salay- | - | - | - | - | 100 | - | - | 140 | 150 | 160-200 | 150 | - | 160 | - | - | - | 100-150 | 260 | 150 | 260 | 100 | | | | | | | | | | |
| 64 | <i>Selaroides leptolepis</i> | Yellow-striped Scad | Salay-salay/Salaginto/Salay-ginto/Dalinu- | - | - | - | - | 280 | - | - | - | - | 120-180 | - | - | - | - | - | - | - | - | 280 | 280 | 280 | 120 | | | | | | | | | |
| 65 | <i>Siganus canaliculatus</i> | White-spotted Spinefoot | Malaga/Danggit/Samaral/Tambol/ | - | - | - | - | - | - | - | - | - | 130 | - | - | - | - | - | - | - | - | - | 130 | 130 | 130 | | | | | | | | | |
| 66 | <i>Siganus guttatus</i> | Golden/Yellow/Orange-spotted Spinefoot | Malaga/Barangan/Danggit/Samaral/Tambol/Kitong/Manalalara/ | - | - | 380 | - | 120 | 180 | - | - | - | 180 | 200 | - | - | - | - | - | - | - | - | 180 | 380 | 120 | | | | | | | | | |
| 67 | <i>Siganus vermiculatus</i> | Vermiculated spinefoot | Malaga | 350 | 250-400 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 250-400 | 400 | 250 | | | | | | | | | | |
| 68 | <i>Siganus sp.</i> | Spinefoot/ Rabbitfish/Siganid | Bataway/Danggit/Bawis/Malag | - | - | - | - | - | 100 | - | 150 | 250 | - | 150 & 230 | - | 220 | - | - | - | - | 380 | 150 | 380 | 100 | | | | | | | | | | |
| 69 | <i>Sphyrna sp.</i> | Barracuda | Panghalwan/Lusod/Rumpi | - | - | - | - | - | - | - | - | - | 160 | - | - | 300 | - | - | - | - | 250 | 160-300 | 300 | 160 | | | | | | | | | | |
| 70 | <i>Stolephorus comersonii</i> | Commerson's Anchovy | Dilis/Bolinao | - | - | - | - | 100 | - | - | - | 100 & 200 | - | - | - | - | - | - | - | - | - | 100 | 200 | 100 | | | | | | | | | | |
| 71 | <i>Stolephorus sp.</i> | Anchovy | Dilis/Bolinao/Tuwakang/Bawd | - | - | - | - | - | - | - | - | - | 100 & 150 | - | 120 | - | - | - | - | - | 80-400 | 80-400 | 400 | 80 | | | | | | | | | | |
| 72 | <i>Telescopium telescopium</i> | Horn Snail | Bagunon/Chupakulo | - | - | - | - | - | - | - | - | - | - | 50 & 70 | - | 50 | - | - | - | - | - | 50 | 70 | 50 | | | | | | | | | | |
| 73 | <i>Terebralia sulcata</i> | Sulcate Swamp Cerith | Lambis/Supsup | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 20 & 30 | - | 20 & 30 | 30 | 20 | | | | | | | | | | |
| 74 | <i>Trachinotus sp.</i> | Pompano | Pampano | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 350 | 350 | 350 | 350 | | | | | | | | | | |
| 75 | <i>Trichiurus lepturus</i> | Largehead Hairtail | Espada/ Pingka/Langkoy Lahing/Diwit | - | - | 400 | - | 250 | - | - | - | - | 120 | - | - | - | - | - | - | - | 260 & 300 | - | 240-360 | 120-400 | 400 | 120 | | | | | | | | |
| 76 | <i>Tylosurus crocodilus</i> | Hound Needlefish | Balo/Bawo | - | - | - | - | - | - | - | - | - | 120-200 | - | - | - | - | - | - | - | - | - | 120-200 | 200 | 120 | | | | | | | | | |
| 77 | <i>Tylosorus sp.</i> | Needlefish | Batalay | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 120 & 200 | 120 & 200 | 200 | 120 | | | | | | | | | |
| 78 | <i>Upeneus mollicensis</i> | Goldband Goatfish | Saramulyete/Balaki/Timbunga | - | - | - | - | - | - | - | - | - | 160 | - | - | - | - | - | - | - | - | - | 160 | 160 | 160 | | | | | | | | | |
| 79 | <i>Upeneus sulphureus</i> | Sulphur Goatfish | Ti-aw/Timbongan | - | - | - | - | - | - | - | - | - | 120-150 | - | - | - | - | - | - | - | - | - | 120-150 | 150 | 120 | | | | | | | | | |
| 80 | <i>Varuna literrata</i> | River crab | Talangka | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 200-300 | 200-300 | 300 | 200 | | | | | | | | | |
| 81 | <i>Xiphias gladius</i> | Swordfish | Marlin | - | - | - | - | - | - | - | - | - | 130 | - | - | 500 | - | - | - | - | - | - | 130 & 500 | 500 | 130 | | | | | | | | | |

NA- Not Available during price monitoring activity (Source area)

(-) Not Available during price monitoring activity (Price & Volume)

REMARKS AND OBSERVATIONS

CAR

Week 1 (November 1-7)

Low volumes of Local Galunggong were observed in the three (3) major markets monitored due to the low availability from major sources. This resulted to major price increase of the commodity to Php200.00/kg to Php220/kg in Baguio City.

Supply of Bangus and Tilapia remain stable in the markets monitored.

Week 2 (November 8-14)

No significant changes were noted in the supply and prices of fishery commodities at Urdaneta City Public Market (Pangasinan), Bolinao Public Market (Pangasinan), City of San Fernando Public Market (La Union), and Magsaysay Public Market (Pangasinan). However, at Magsaysay Market, not all fish stalls were open as only few vendors are allowed to sell. Galunggong sold in the market are locally caught by fishermen in Damortis Sto. Tomas, La Union.

Most of the fishery commodities at Bolinao Market are bought from within the locality. Only Tilapia was sourced from Alaminos City, Pangasinan.

Fishery commodities at San Fernando Market are mostly from Dagupan City, Pangasinan and Aringay, La Union.

Week 3 (November 15-21)

Local-fresh Galunggong supply in the three (3) monitored markets in CAR is low amid the minimal availability from the major sources. This resulted to a further increase in prices ranging from Php200.00/kg to Php220.00/kg in the monitored markets.

Tamban (Sardines) was observed in most wet markets this week with a prevailing price of Php80.00/kg to Php100.00/kg.

R1

Week 1 (November 1-7)

Major public wet markets in the region continue to observe proper health protocols against COVID-19 by requiring the consumers and vendors to wear face masks and face shields, observe social distancing, and practice proper hand sanitation.

In Vigan City Public Market no Local Galunggong was noted during monitoring amid sudden price increase from Php180.00/kg to 250.00/kg.

In Magsaysay Public Market, trading operations are now 24 hours, except on Thursdays, when the market is closed. Thorough disinfection are conducted every first and third Thursday of the month.

Week 3 (November 15-21)

| TOP FISHERY COMMODITIES | | | | Regional Prevailing Price (Php/kg) | | | | | | | | | | | | | | | | | NATIONAL | | |
|---|--------------|------------|-----|------------------------------------|---|---|----|----|---|---|---|---|---|----|----|----|----|------|-----|---------------------------|----------|-----|--|
| Scientific Name | English Name | Local Name | CAR | 1 | 2 | 3 | 4A | 4B | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | BARM | NCR | Prevailing Price (Php/kg) | High | Low | |
| <p>In Magsaysay Public Market (Pangasinan) and Bolinao Public Market (Pangasinan), no significant changes in the prices of fishery commodities, particularly Bangus, Tilapia and Local-fresh Galunggong, was observed. Available Local-fresh Galunggong in the markets are locally caught in Damortis Sto. Tomas, La Union. Tilapia, on the other hand, are from Alaminos City, Pangasinan.</p> <p>In Vigan City Public Market, no Local-fresh Galunggong was observed during the actual price monitoring activity.</p> <p>Week 4 (November 22-30) In Urdaneta City Public Market (Pangasinan), all market fish stalls are operational.</p> <p>In Bolinao Public Market (Pangasinan), no significant changes on prices and supply of fishery commodities were noted.</p> <p>In Vigan City Public Market (Ilocos Sur), Local-Fresh Galunggong was not observed during actual market monitoring.</p> | | | | | | | | | | | | | | | | | | | | | | | |
| R3 | | | | | | | | | | | | | | | | | | | | | | | |
| <p>Week 1 (November 1-7) Prices of all fishery commodities depend on the fish catch, sizes, and consignment basis.</p> | | | | | | | | | | | | | | | | | | | | | | | |
| R4A | | | | | | | | | | | | | | | | | | | | | | | |
| <p>Weeks 1-3 (November 1-21) Prices of fishery commodities especially, marine species, remain high due to low availability of supply in some markets.</p> | | | | | | | | | | | | | | | | | | | | | | | |
| R4B | | | | | | | | | | | | | | | | | | | | | | | |
| <p>Week 1 (November 1-7) Unfavorable weather condition for the past weeks caused high prices of marine fishery commodities in the region. In Romblon, only Bangus are available as supplies of other commodities were greatly affected by the onslaught of Typhoon <i>Rolly</i>.</p> <p>Week 2 (November 8-14) In Oriental Mindoro, prices of fishery commodities were high due to the low availability. In Romblon, only Bangus was available as supplies were greatly affected by the onslaught of Typhoon <i>Ulysses</i>. In Occidental Mindoro, North and South Palawan, prices of marine fishery commodities were very high due to the bad weather condition</p> <p>Week 3-4 (November 15-30) As supply continue to be low, price of fishery commodities in the region remain high.</p> | | | | | | | | | | | | | | | | | | | | | | | |
| R6 | | | | | | | | | | | | | | | | | | | | | | | |
| <p>Week 1-3 (November 1-21) In Kalibo Public Market, prices of fishery commodities were stable as abundant displays are available. Further, only few consumers were noted during the monitoring.</p> | | | | | | | | | | | | | | | | | | | | | | | |
| R7 | | | | | | | | | | | | | | | | | | | | | | | |
| <p>Week 1 (November 1-7) Due to consecutive weather disturbances, availability and prices of marine fishery commodities in the region are very unstable.</p> <p>Week 2 (November 8-14) All fishery commodities were sufficient and stable among the monitored markets.</p> <p>Week 3 (November 15-21) In Catbalogan, small volumes of fishery commodities were observed. Nonetheless, displays remain sufficient to cater to the low demand from consumers.</p> | | | | | | | | | | | | | | | | | | | | | | | |
| R8 | | | | | | | | | | | | | | | | | | | | | | | |
| <p>Week 1 (November 1-7) All monitored markets in the region reported minimal availability of marine fishery commodities. On Nov. 2, only one (1) out of six (6) monitored markets has supply of Local Galunggong.</p> <p>Week 2 (November 8-14) Despite of the unfavorable weather conditions, fish supplies in most of the markets monitored remain sufficient. In Catarman, supplies of Bangus were abundant, especially on Nov. 12. In Catbalogan Market, only minimal volumes of fishery commodities were noted during price monitoring activities.</p> | | | | | | | | | | | | | | | | | | | | | | | |
| R9 | | | | | | | | | | | | | | | | | | | | | | | |
| <p>Week 1 (November 1-7) Prices of large pelagic and demersal fin fishes have minor price increments due to recent unfavorable weather condition.</p> <p>Week 2 (November 8-14) Prices of some pelagic and demersal finfishes have slightly increased amid the bad weather condition.</p> | | | | | | | | | | | | | | | | | | | | | | | |
| R10 | | | | | | | | | | | | | | | | | | | | | | | |
| <p>Week 2 (November 8-14) Stable supplies of fishery commodities, particularly Bangus, Tilapia, and Local-Fresh Galunggong, were noted in the monitored markets.</p> | | | | | | | | | | | | | | | | | | | | | | | |
| R11 | | | | | | | | | | | | | | | | | | | | | | | |
| <p>Week 1 (November 1-7) Prices of Bangus, Tilapia, Matambaka, Galunggong, and Moro-moro had significant price increase due to low supply and lower number of buyers alongside the bad weather condition.</p> <p>Week 2 (November 8-14) Volumes of fishery commodities were very low as a result of the East Moonsoon alongside small number of consumers.</p> <p>Week 4 (November 22-30) Supply of fishery commodities were low this week due to the East Moonsoon or <i>Habagat</i>.</p> | | | | | | | | | | | | | | | | | | | | | | | |
| R12 | | | | | | | | | | | | | | | | | | | | | | | |
| <p>Week 1 (November 1-7) In Koronodal, prices of fishery commodities increased amid the onslaught of Typhoon <i>Rolly</i>.</p> | | | | | | | | | | | | | | | | | | | | | | | |
| R13 | | | | | | | | | | | | | | | | | | | | | | | |
| <p>Week 1-2 (November 1-14) Demand for fishery commodities in the wet markets have decreased due to lower number of consumers. Nonetheless, prices remain stable.</p> <p>Week 3-4 (November 15-30) Prices of fishery commodities remain stable due to the low demand from consumers</p> | | | | | | | | | | | | | | | | | | | | | | | |
| NCR | | | | | | | | | | | | | | | | | | | | | | | |
| <p>Week 1 (November 1-7) Prices of Bangus and Tilapia are stable this week as supplies remain stable among the monitored retail markets.</p> | | | | | | | | | | | | | | | | | | | | | | | |

