



Republic of the Philippines
Department of Agriculture
Bureau of Fisheries and Aquatic Resources

BIDS AND AWARDS COMMITTEE OFFICE

2/F Fisheries Bldg. Complex, BPI Compound, Brgy. Vasra, Visayas Ave., Quezon City, Philippines
Tel. No.: +02. 332. 4661 website: www.bfar.da.gov.ph e-mail: bac.eps@bfar.da.gov.ph

SUPPLEMENTAL BID BULLETIN NO. 1

SUBJECT : BID REFERENCE NO. 2022-22 ENTITLED "SUPPLY AND DELIVERY OF VARIOUS MAINTENANCE PARTS FOR DA-BFAR VESSELS AND SUPPLY, DELIVERY, AND LABOR OF OVERHAULING FOR REINTJES TRANSMISSION-WVS334L STARBOARD MARINE GEARBOX OF DA-BFAR MCS 3009 PATROL VESSEL.

A. AMENDMENTS

FROM				TO			
<u>Section I. Invitation to Bid</u>				<u>Section I. Invitation to Bid</u>			
<u>Page 7</u>				<u>Page 7</u>			
The Schedule of Procurement Activities are:				The Schedule of Procurement Activities are:			
PROCUREMENT ACTIVITIES	DATE	TIME	VENUE	PROCUREMENT ACTIVITIES	DATE	TIME	VENUE
DEADLINE OF SUBMISSION AND RECEIPT OF BIDS	23 May 2022 (Monday)	08:30 AM	BFAR-BAC OFFICE 2/F, Fisheries Bldg. Complex, BPI Compound, Brgy. Vasra, Visayas Avenue, Quezon City	DEADLINE OF SUBMISSION AND RECEIPT OF BIDS	27 May 2022 (Friday)	09:30 AM	BFAR-BAC OFFICE 2/F, Fisheries Bldg. Complex, BPI Compound, Brgy. Vasra, Visayas Avenue, Quezon City
DATE OF OPENING OF BIDS	23 May 2022 (Monday)	09:00 AM	via ZOOM	DATE OF OPENING OF BIDS	27 May 2022 (Friday)	10:00 AM	via ZOOM

Section VII. Technical Specification

Page 38

ITEM DESCRIPTION	QUANTITY	UNIT
ANTI-FRICTION BEARING PN A171034	1	Piece

Section VIII. Checklist of Technical and Financial Documents

Page 41

☐ (e) Conformity with the Technical Specifications and Term of Reference, which may include production/delivery schedule, manpower requirements, and/or aftersales/parts, if applicable, and;

1. **Lot 4:** Must be an Authorized Caterpillar Marine Dealer and Service Center in the Philippines and;
: Must submit a Caterpillar certificate as part of the technical proposal.

Section VII. Technical Specification

Page 38

ITEM DESCRIPTION	QUANTITY	UNIT
ANTI-FRICTION BEARING PN A171034	1	Piece


Section VIII. Checklist of Technical and Financial Documents

Page 41


☐ (e) Conformity with the Technical Specifications and Term of Reference, which may include production/delivery schedule, manpower requirements, and/or aftersales/parts, if applicable, and;

1. **Lot 4: must submit a Certificate from the Manufacturer that the bidder is an Authorized Caterpillar Marine Dealer and Service Center in the Philippines and;**
: must submit a Caterpillar certificate as part of the technical proposal.

B. CLARIFICATIONS

ISSUE / REQUEST	REFERENCE	CLARIFICATION / BFAR RESPONSE
<p>Letter from St. Christ International Trading:</p> <p>1. Lot No. 2: requested to correct the part number of AVR R450 PITM-0001 or to provide a sample of the item.</p>	<p><u>Section VII. Technical Specification</u></p> <p>Page 35</p>	<p>1. The AVR R450 PITM-0001 is the correct part number. Please see attached pictures below for reference.</p> 

[Handwritten signature]

<p>2. Lot No. 3: offered an alternative Glassy Coolant with part number 0539325300 due to worldwide unavailability of the Glassy coolant with part number 05393-05100.</p>	<p>Page 36</p>	<p>2. The offered Glassy Coolant with part number 0539325300 is accepted. Please see attached pictures below for reference.</p> 
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

****nothing follows****

All other portions of the Bidding Documents affected by these amendments shall be made to conform the same.

Amendments/inclusions/clarifications made herein shall be considered an integral part of the Bidding Documents.


The changes made in the Philippine Bidding Documents (6th Edition, July 2020) are deemed integrated with the terms and conditions for this project.

For further inquiries, please coordinate/call the Bids and Awards Committee Secretariat at Tel. No. 8332-4661.

Please be guided accordingly.


ATTY. DEMOSTHENES R. ESCOTO
 Chairperson, Bids and Awards Committee

AVR R450M PN:PITM-0001



GLASSY COOLANT

PN : 05393-25300



GLASSY 80 LONG LIFE COOLANT 05393-25300

This product will act as an anti-freeze during winter and coolant during summer whereby it is suitable for four season usage. This non-amine type product is specially formulated with superb protection against metal corrosion, cavitation prevention and lots of other specialities for high performance diesel engine.

Product Name	Engine Anti-Freeze Coolants (GLASSY Long Life Coolant)							
Usage/Type	Coolant for liquid cooling type internal combustion engine (I.C.E.)							
Colour	Green	Content Ethylene Glycol (73-75%) Antirust Additives						
Net Quantity	18 Litres							
Freezing Point	Concentration Mixture Chart							
	40	45	50	55	60	65	68	75
Coolant (vol%)	60	55	50	45	40	35	32	25
Water (vol%)	40	45	50	55	60	65	68	75
Freezing Point (°C)	-15	-20	-24	-28	-34	-38	-43	-53
Hazard Statement	<ul style="list-style-type: none"> • Harmful if inhaled • Causes eye irritation • Causes damage to organ (central nervous system, blood system, kidney) • May cause respiratory irritation • May cause drowsiness or dizziness 							
CAUTION	<ul style="list-style-type: none"> • "UNDRINKABLE" harmful to human body if consumed • Do not open radiator cap when the coolant is hot. This will lead to spouting of boiling coolant or vapour which might lead to sun burn. Please beware! • Keep out of reach of children • Do not use this product for other purpose • Use only outdoors or in a well-ventilated area • Wash hands thoroughly after handling • Wear protective gloves • Do not eat, drink or smoke when using this product • Do not breathe mist/vapours • If the liquid splashes to clothes or other object, wash it immediately with clean water or detergent. If not, it might leave a stain 							
Caution During Use	<ul style="list-style-type: none"> • Stop the engine, check the radiator before flushing out the coolant. Flush the radiator with clean water. • In order to avoid trouble, repair the radiator if damaged and wash radiator with proper detergent if there are. 							