



Republic of the Philippines
 Department of Agriculture
BUREAU OF FISHERIES AND AQUATIC RESOURCES
 Fisheries Building Complex, Bureau of Plant Industry Compound,
 Visayas Ave., Diliman, Quezon City

REGION: National Capital Region
NAME OF MARKETS: 1. Balintawak 5. Commonwealth 9. Kamuning 13. Mandaluyong 17. Ugong Valenzuela
 2. Muñoz 6. Tandang Sora 10. Galas 14. Marikina
 3. Farmers 7. Trabajo 11. Navotas 3, 4 & 5 15. Pasig
 4. Mega-Q 8. Quinta 12. Malabon Central 16. Maypajo Caloocan

DATE COVERED: December 25-29 2023 (Week 4)

| TOP FISHERY COMMODITIES | | | MARKETS | | | | | | | | | | | | | | | | | NCR | | | | |
|---------------------------------|------------------|---|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|------|--|--|
| | | | TRABAJO | QUINTA | COMMONWEALTH | TANDANG SORA | MEGA-Q | FARMERS | BALINTAWAK | MUÑOZ | KAMUNING | GALAS | NAVOTAS 3, 4 & 5 | MALABON CENTRAL | MANDALUYONG | MARIKINA | GUADALUPE | PASIG | MAYPAJO CALOOCAN | | | | | POLO PUBLIC MARKET |
| Scientific Name | English Name | Local Name | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | High | Low | Summary Source Area |
| 1. <i>Chanos chanos</i> | Milkfish | Bangus/Bangrus | | | | | | | | | | | | | | | | | | | | | | |
| | | Small (5pcs and above) | - | - | 150 | - | 150 | - | 155 | 130-160 | - | - | 130 | - | - | 220 | 200 | - | 130 | 200 | 130 | 220 | 130 | Dagupan, Bulacan, Malabon |
| | | Medium (3-4 pcs) | *180 | - | 170 | - | 170 | 160 & 150 | 150-170 | 160-180 | 180 | 180 | 120-150 | 250 | 240 | 240 | 240 | - | 220 | 220 | 150, 170, 180, 240 | 250 | 120 | Dagupan, Bulacan, Malabon, Pangasinan |
| | | Large (1-2 pcs) | 220 | 220 | 180-220 | 220 | 190 | 170 | 160-175 | 180 | 240 | 240 | - | 270 | - | 260 | 270 | 170 | 240 | 260 | 220 | 270 | 160 | Dagupan, Bulacan, Pangasinan |
| 2. <i>Oreochromis niloticus</i> | Tilapia | Tilapia/Pla-pla | | | | | | | | | | | | | | | | | | | | | | |
| | | Small (6 pcs and above) | - | - | - | - | - | - | - | - | - | - | - | - | - | 140 | - | - | 120 | 150 | 120-150 | 150 | 120 | Batangas, Pampanga, Obando |
| | | Medium (3-5 pcs) | 150 | 150 | 120 | 160 | 130 | 120 & 130 | 120-170 | 130-140 | 160 | 140 | 100 & 110 | 160 | 160 | 160 | 170 | 100 | 120 | 180 | 160 | 180 | 100 | Batangas, Bulacan, Pampanga |
| | | Large (1-2 pcs) | - | - | - | - | - | - | - | - | - | - | 190 | - | 160 | - | 100 | 130 | - | 100-190 | 190 | 100 | Batangas | |
| 3. <i>Penaeus vannamei</i> | Whiteleg shrimp | Hipon/Pasayan/Urang/Bingalo/Sugpo/Suahe/Hipong Puti/Putian/Pansat/Udang | | | | | | | | | | | | | | | | | | | | | | |
| | | Small (41 pcs and above) | - | - | *340 & 360 | - | *400 & 480 | - | *440 | *380 | - | - | 300-340 | 400 & 420 | - | 360 | 500 & 520 | - | - | 300 | 300 | 520 | 300 | Bulacan, Malabon, Farmers, Obando, Navotas |
| | | Medium (31 pcs to 40 pcs) | *480 | *450 & 480 | 380 - 440 | - | 480 | 450 | *480 | 460-500 | 450 | 400 | 400-480 | 470 | - | 450 | 520-560 | - | 480 | 400 | 400, 450, 480 | 560 | 380 | Navotas, Bulacan, Malabon, Farmers, GenSan |
| | | Large (30 pcs and below) | *500 & 580 | 530-550 | 460-560 | 800 - 580 | 520 | - | *580 | 500 & 550 | 480 | *450 | 550 & 570 | - | 550 | 540-580 | - | 520 | 700 | 550 | 800 | *450 | Malabon, Bulacan, Farmers, Navotas, GenSan | |
| 4. <i>Gracilaria sp.</i> | Seaweeds | Guso/Gurguraman/Kanot-kanot/Agar-agar/Gulaman/Gamogamo | | | | | | | | | | | | | | | | | | | | | | |
| | | Small (26 pcs and above) | - | - | - | - | - | - | - | - | - | - | - | 550 | - | - | - | - | - | - | 550 | 550 | 550 | Malabon |
| | | Medium (16-25 pcs) | - | - | - | - | - | 950 | - | - | - | - | - | 650 | - | - | - | - | - | 1200 | 650-1200 ¹ | 1200 | 650 | Bulacan, Malabon |
| | | Large to Jumbo (15 pcs and below) | - | - | - | - | 1000 | - | - | - | - | - | 950 | - | 1000 & 1250 | - | 1800 | - | 1500 | 1000 | 1800 | 950 | Navotas, Malabon, Quezon, Bulacan | |
| 4. <i>Gracilaria sp.</i> | Seaweeds | Guso/Gurguraman/Kanot-kanot/Agar-agar/Gulaman/Gamogamo | - | - | - | - | 200 | 240 | - | - | - | - | - | - | 240 | 280 | 200 | 120 | - | 200 & 240 | 280 | 120 | Malabon, Cavite, Paranaque, Marinduque | |
| <i>Caulerpa lentillifera</i> | Round sea grapes | Lato/Ar-arosip/Arorosp/Arosep/Eaba-eaba/Homhom/Latoh/Gosuh | - | - | *280 | - | 200 | 240 | - | - | - | *240 | - | 180 | - | 240 | 280-320 | 200 | 120 | 200 | 200 | 320 | 120 | Malabon, Palawan, Paranaque, Obando, Cavite, Marinduque, Farmers |

| TOP FISHERY COMMODITIES | | | MARKETS | | | | | | | | | | | | | | | | | | NCR | | | |
|--------------------------------|--------------------|--|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|------|------|---|
| | | | TRABAJO | QUINTA | COMMONWEALTH | TANDANG SORA | MEGA-Q | FARMERS | BALINTAWAK | MUÑOZ | KAMUNING | GALAS | NAVOTAS 3, 4 & 5 | MALABON CENTRAL | MANDALUYONG | MARIKINA | GUADALUPE | PASIG | MAYPAJO CALOOCAN | POLO PUBLIC MARKET | | | | |
| Scientific Name | English Name | Local Name | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | High | Low | Summary Source Area |
| <i>Kappaphycus alvarezii</i> | Elkhorn Sea Moss | Tambalang/Kanut-kanut/Gulaman/Guso/Agal-agal | - | - | 160 | - | - | - | - | - | - | - | *80 | - | - | - | - | - | - | - | 160 | 160 | *80 | Malabon, Ilo-Ilo |
| <i>5. Crassostrea iredalae</i> | Oyster | Talaba/Tirem/Sisi | - | - | *140 | - | 100 & 120 | 200 | - | *100 | - | - | *50 | 130 | - | 140 | 160 | 120 | - | 300 | 120 | 300 | *50 | Cavite, Paranaque, Malabon, Obando, Navotas, Sorsogon, Bicol |
| <i>6. Perna viridis</i> | Green Mussel | Tahong/Kinason/Alamahong | *160 | *150 | 70-140 | 160 | 180 | 200 | 120 | - | 140 | *140 | *50 | 120 | - | 100 | 200 | 120 | 160 | 140 | 120 & 140 | 200 | *50 | Cavite, Malabon, Paranaque, Obando, Navotas, Farmers, Samar, Sorsogon |
| <i>7. Scylla serrata</i> | Mangrove Crab | Alimango/Rasa/Alama/Hanit/Kinis | | | | | | | | | | | | | | | | | | | | | | |
| | | Male | - | - | 600 | *750 | - | 950-1100 | - | - | - | - | - | 650 & 670 | - | 600-700 | - | 900 | - | - | 600 | 1100 | 600 | Malabon Fish Port, Quezon, Mindanao, Bulacan, Roxas |
| | | Female | - | - | 1000 | *900 | - | 1000 | - | - | - | - | - | - | - | 650-700 | - | 1200 | - | - | 1000 | 1200 | 650 | Malabon, Quezon, Mindanao, Bulacan, Roxas |
| | | Mixed (Male & Female) | - | - | - | - | - | - | 430 & 450 | - | 500 | - | - | 900 | - | - | 500 | - | - | 1000 | 500 | 1000 | 430 | Malabon, Farmers, Bulacan |
| <i>8. Portunus pelagicus</i> | Blue swimming Crab | Alimasag/Dariway/Galiwey/Kasag/Lambay/Masag/Kagang Sukay/Kalelepa | | | | | | | | | | | | | | | | | | | | | | |
| | | Small/Medium (7 pcs and above) | *570 | - | *240 & 280 | 400 | - | 480 & 540 | - | - | - | - | *100 | 400 | 500 | 360 | - | 400 & 480 | 200-500 | 200 | 400 | *570 | *100 | Malabon Fish Port, Quezon, Obando, Navotas, Roxas |
| | | Large (1-6 pcs) | - | - | *600 | - | *750 | - | - | *700 | *500 | *500 | - | 520 | - | 550 & 600 | - | 600 | - | 350 | 600 | *750 | 350 | Malabon Fish Port, Quezon, Navotas, Farmers |
| <i>9. Thunnus albacares</i> | Yellowfin Tuna | Tambakol/Tulingan/Tangi/Bangkulis/Panit/Bantalaan/Bantaean/Budboron | | | | | | | | | | | | | | | | | | | | | | |
| | | Whole | 380 | 300-360 | 300 | 400 | *260 & 280 | - | 300 | 300-450 | 320 | *300 & 320 | 250-340 | 270 | 360 | 420 | 300 | 340 & 360 | 280-320 | 240 | 300 | 450 | 240 | Lucena, Navotas, Obando, Malabon, Farmers, Bataan |
| | | Sliced | - | - | 360 & 400 | - | - | - | - | - | - | - | - | 450 | - | 280-360 | - | 600 | - | - | 360 | 600 | 280 | Malabon Fish Port, Lucena |
| | | Head | - | - | 240 & 260 | - | - | - | - | - | - | - | - | 150 & 170 | - | 200 | - | 240 | - | 140 | 240 | *260 | 140 | Lucena, Malabon, Obando, Navotas |
| <i>Katsuwonus pelamis</i> | Skiniack Tuna | Gulyasan | | | | | | | | | | | | | | | | | | | | | | |
| | | Whole | - | *380 | *240 | - | *240 & 260 | - | 240 | *280 | *300 | *300 & 320 | 200-240 | 240 | - | - | - | 280 | - | - | 240 | *380 | 200 | Navotas, Malabon, Farmers, Bataan |
| | | Sliced | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 300 | 300 | 300 | 300 | Malabon |
| <i>Axius thazard</i> | Frigate Tuna | Tulingan/Tangi/Bonito/Tulingan Lapad/Turingan/Aloy Mangko/Pirit/Bolis/Lapad/Pidlayan/Mangku | - | 240-300 | - | - | - | 300 | - | - | - | - | - | 250 | 360 | 280 & 340 | - | 200 | 240 | 240 | 240 | 360 | 200 | Lucena, Navotas, Obando |
| <i>Axius rochei</i> | Bullet Tuna | Tulingan/Tangi/Bonito/Tulingan-Bilog/Aloy/Mangko Pirit/Turingan/Bolis/Mangku/Pidlayan/Budboron | - | - | 200 | *280 | 220 | - | *180 & 200 | *200 | *300 & 320 | *280 & 300 | *230 | 260 | 360 | - | 250-270 | 240 & 260 | 240 | - | 240 & 260 | 360 | *180 | Malabon Fish Port, Navotas, Lucena, Farmers |

| TOP FISHERY COMMODITIES | | | MARKETS | | | | | | | | | | | | | | | | | | NCR | | | | |
|-----------------------------------|--------------------------------|--|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|------|------------------------------------|--|--|
| | | | TRABAJO | QUINTA | COMMONWEALTH | TANDANG SORA | MEGA-Q | FARMERS | BALINTAWAK | MUÑOZ | KAMUNING | GALAS | NAVOTAS 3, 4 & 5 | MALABON CENTRAL | MANDALUYONG | MARIKINA | GUADALUPE | PASIG | MAYPAJO CALOOCAN | POLO PUBLIC MARKET | | | | | |
| Scientific Name | English Name | Local Name | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | High | Low | Summary Source Area | |
| 10. <i>Sardinella fimbriata</i> | Fringescale Sardinella | Tunsoy/Bilis/Tamban/Tawilis/Lawlaw/Manamsi/Tabagak/Mangsi/Tapisok/Tayapad/Kasig | - | *120 | - | - | - | - | *100 & 110 | - | - | - | *80 | - | 200 | - | - | - | - | 120 | 120 & 200 | 200 | *80 | Lucena, Obando, Tagaytay, Navotas | |
| <i>Sardinella lemuru</i> | Bali Sardinella | Tamban/Bilis/Tunsoy/Salinas/Lawlaw/Tuloy/Tabagak/Anduhaw/Kasig | - | - | - | - | - | - | - | 100 | - | - | - | - | - | 200 | - | 100 | 160 | 110-140 | 100 | 200 | 100 | Quezon, Navotas, Obando | |
| <i>Sardinella gibosa</i> | Goldstripe Sardinella | Tamban/Tunsoy/Lawlaw/Tabagak/Tuloy/Mangsi/Kasig | - | - | - | - | - | - | - | - | - | - | - | - | 210 | - | - | - | - | - | 210 | 210 | 210 | Malabon | |
| 11. <i>Rastrellia kawai</i> | Indian Mackerel | Alumaban/Kabalas/Kabalvas/Bara | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| | | Small (13 pcs and above) | - | - | - | *320 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | *320 | *320 | *320 | Farmers | |
| | | Medium (7-12 pcs) | - | *320 | - | 380 | *240 | 350 & 400 | - | - | 360 | 360 | - | 360 | 320-380 | - | 300-350 | 240 | 300 | 240 | 360 | 400 | 240 | Farmers, Malabon, Lucena, Navotas | |
| | | Large (1-6 pcs) | - | - | *360 | *320 | - | 400 | - | - | - | - | - | 380 | - | - | - | 360 | - | - | 360-400 | 400 | *320 | Navotas, Malabon, Lucena | |
| | | Mixed sizes | - | - | - | - | - | - | - | - | - | - | - | - | - | 300 & 340 | - | - | - | - | 300 & 340 | 340 | 300 | Lucena | |
| <i>Scomberomorus commerson</i> | Narrow-barred Spanish Mackerel | Tangig/Tanigue/Tangi/Karabalyas | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| | | Whole | - | - | - | - | - | *380 | - | *600 | - | - | *300 | 450 | - | - | - | - | - | 400 | 400 & 450 | *600 | *300 | Malabon, Lucena, Mindoro | |
| | | Sliced | - | - | - | - | - | - | - | - | - | - | - | 400 & 430 | 700 | 800 | - | 600 | - | - | 400-800 ² | 800 | 400 | Lucena, Malabon | |
| 12. <i>Decapterus macrerosoma</i> | Shortfin scad | Galunegone/Baraniti/Bulilit/Galun | - | - | - | *280 | - | - | - | - | - | - | - | - | - | - | 240 | - | - | - | 240 | *280 | 240 | Navotas, Farmers | |
| | | Small (21 pcs and above) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| | | Medium (11-20 pcs) | *280 | - | - | - | - | *280 & 350 | - | - | - | - | - | 280 | 300 | - | 250-280 | 240 | 160 | 240 | 240 & 280 | *350 | 160 | Malabon Fish Port, Navotas, Lucena | |
| | | Large (7-10 pcs) | - | - | - | - | - | - | - | - | - | - | - | 310 | - | 280 & 300 | - | 240 | - | 240 | 240 | 310 | 240 | Navotas, Lucena, Malabon | |
| 13. <i>Loligo sp.</i> | Squid | Pusit/Lukos/Nocos | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| <i>Sepioteuthis lessoniana</i> | Bigfin reef squid | Lumot/Laki/Kanus/Nokus/Noos/Nokos/Nukos/Tostos/Baghak/Choka/Lumlagan/Nukos/Lumayagan/Barawan | *600 | *500 | 600 | 500 - 600 | 600 | 450 | - | 440-650 | * 550 | - | *520 | 470 | 800 | 500 | 500 | 800 | 480-500 | - | 500 | 800 | 440 | Malabon, Lucena, Navotas, Farmers, Mindoro | |
| <i>Uroteuthis bartschi</i> | Bartsch's squid | Lapis/Sigarilyo/Tarorot/Tostos | - | *500 & 550 | - | - | - | - | - | *560 | 400 | 400-480 | - | - | - | - | - | - | - | - | 400 | *560 | 400 | Navotas, Ilo-Ilo, Farmers, Malabon | |
| <i>Uroteuthis sp.</i> | Squid | Bisaya/Nukos/Noos | - | - | - | 380-460 | *400 | 380 | 260 & 450 | *440 | 450 | 400 | 320-430 | 420 & 430 | 500 & 600 | - | 450 | 600 | - | - | 450 | 600 | *260 | Malabon Fish Port, Lucena, Farmers, Navotas | |
| <i>Todarodes sp.</i> | Squid | Kalawang/Bulingit/Pusit-pula | *340 | *220 | 180 | - | *180 | - | *170 | *300 | * 300 | * 260 | 200 | 250 | - | 240 | 180 | 200 | 350 | 180 & 200 | 350 | *170 | Navotas, Obando, Farmers, Zambales | | |
| 14. <i>Lutjanus sp.</i> | Snapper | Mayamaya/Angrat/Burara/Aluman/Saing-saing/Kutambak | - | - | *400 & 500 | *600 & 720 | - | *700 | - | 360-600 | * 600 & 650 | * 400 | - | 550 | 500 | 400 & 550 | - | 600 | - | 440 | 550 & 600 | *720 | *360 | Malabon Fish Port, Lucena, Farmers | |
| 15. <i>Epinephelus sp.</i> | Grouper | Lapu-lapu/Baraka/Inid/Pugado/Tingag/Pogapo/Baraka/Lapu-lapo/Itum/Pugapo/Kulapu | - | 550 | *280 | *450 | - | - | - | *360 & 600 | * 450 & 500 | 400 | 550 | 400 | 450 | 550 | - | 240-400 | 360 | 400 | 400 | *600 | 240 | Navotas, Lucena, Malabon Fish Port, Farmers, Mindoro, Samar | |
| <i>Epinephelus sp.</i> | Grouper (Red) | Lapu-lapu/pula/Baraka/Inid/Pugado/Tingag/Pogapo/Baraka/Pugapo/Kulapu | *600 | - | *650 | *600 & 680 | 800 | *700 | - | *400 & 600 | * 650 & 750 | * 450 & 500 | 800 | 530 | 700 | 550 & 700 | - | 700 | 360 | 550 | 700 | 800 | 360 | Malabon Fish Port, Lucena, Navotas, Obando, Farmers, Mindoro | |
| Other Fishery Commodities | | | | | | | | | | | | | | | | | | | | | | | | | |
| <i>Acanthurus sp.</i> | Surgeon Fish | Labahita | - | - | *280 | *340 | - | - | - | 300 | - | - | 200-250 | 240 | 360 | 460 | - | 300 | 300 | 300 | 300 | 460 | 200 | Malabon, Lucena, Navotas, Farmers, Mindoro | |
| <i>Acetes sp.</i> | Sergestids | Alamang | - | - | 50 | *120 | - | - | - | - | - | - | - | 100 & 120 | - | 160 | 100 | 100 | 60 | 80 | 100 | 160 | 50 | Lucena, Malabon Fish Port, Navotas, Obando | |
| <i>Alepis djebaba</i> | Shrimp scad | Salay batang | - | - | *400 | - | - | - | - | - | - | - | *350 | 340 | 360 | - | 300-320 | 360 | - | 240 | 360 | *400 | 240 | Malabon Fish Port, Lucena, Farmers, Obando, Navotas | |

| TOP FISHERY COMMODITIES | | | MARKETS | | | | | | | | | | | | | | | | | | NCR | | | | |
|------------------------------------|------------------------------|--|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|------|------|--|---|
| | | | TRABAJO | QUINTA | COMMONWEALTH | TANDANG SORA | MEGA-Q | FARMERS | BALINTAWAK | MUNOZ | KAMUNING | GALAS | NAVOTAS 3, 4 & 5 | MALABON CENTRAL | MANDALUYONG | MARIKINA | GUADALUPE | PASIG | MAYPAJO CALOOCAN | POLO PUBLIC MARKET | | | | | |
| Scientific Name | English Name | Local Name | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | High | Low | Summary Source Area | |
| <i>Alepes vari</i> | Herring scad | Salay | *340 & 360 | *320 & 360 | - | - | - | - | *320 | - | - | - | - | - | - | - | - | - | - | - | *320-360 | *360 | *320 | Navotas, Malabon | |
| <i>Aluterus monoceros</i> | Unicorn leatherjacket | Siwarik | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | NA | |
| <i>Atule mate</i> | Yellowtail Scad | Salay-salay/Marapati/Budburon/Bagudlong | - | - | 260 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 260 | 260 | 260 | Malabon | |
| <i>Amblygaster sirm</i> | Spotted sardinella | Turay | - | - | - | - | - | - | - | - | - | - | - | 220 | - | - | - | - | - | 200 | 200 & 220 | 220 | 200 | Navotas, Obando | |
| <i>Antrion virescens</i> | Green jobfish | Bubuli | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | NA | |
| <i>Arius manillensis</i> | Marine sea catfish | Kanduli | - | - | - | - | - | - | - | - | - | - | - | 220 | - | - | - | - | - | - | 220 | 220 | 220 | Malabon | |
| <i>Caesio caerulaurea</i> | Blue and Gold Fusilier | Dalagang Bukid Bilog/Sulid | 380 | 300 | 160 | - | - | 380 | - | - | - | - | - | - | - | - | - | - | - | - | 380 | 380 | 160 | Malabon, Navotas, Lucena | |
| <i>Caesio cuning</i> | Redbelly Yellowtail Fusilier | Dalagang Bukid Lapad/Sinaw-an | *340 | - | 350 | 380 | - | 450 | - | 320-360 | - | 400 | 250-300 | 260 | 400 | 400 | - | 360 | - | 240 | 400 | 450 | 240 | Malabon Fish Port, Lucena, Obando, Navotas, Farmers, Mindoro | |
| <i>Caranx sp.</i> | Trevally | Talakitok | *400 | - | 400 | *480 | - | - | - | *400 | - | *400 & 440 | *400 | 360 & 380 | 450 | 500 | - | 360-400 | - | 360 | 360 | 500 | 360 | Malabon, Lucena, Navotas, Farmers | |
| <i>Caranx melampygus</i> | Bluefin Trevally | Talakitok/Mamsa/Lison | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | NA | |
| <i>Channa striata</i> | Mudfish/Striped Snakehead | Haw-An/Dalag/Aluan | - | - | - | *220 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | *220 | *220 | *220 | Bulacan | |
| <i>Clarias variegatus</i> | African Catfish | Hito/Pantat | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | NA | |
| <i>Clarias sp.</i> | Catfish | Hito | - | - | *130 & 140 | *140 | - | - | *160 | - | - | - | 210 | - | 170 | 200 | 150 | - | 200 | 200 | 200 | 210 | *130 | Bulacan, Malabon | |
| <i>Coryphaena sp.</i> | Dolphin Fish | Pandawan | - | - | 200 | *160 | 220 | - | *340 | *360 | - | - | 180-220 | - | - | - | - | - | - | 440 | 220 | 440 | *160 | Malabon, Navotas, Bataan | |
| <i>Cypselurus poecilopterus</i> | Spotted Flying Fish | Banesi | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | NA | |
| <i>Cypselurus sp.</i> | Flying Fish | Iliw/Barongoy/Baro-baro | - | - | *70 | - | - | - | - | - | - | - | *120 | - | - | - | - | - | - | - | *70 & 120 | *120 | *70 | Malabon, Mindoro | |
| <i>Decapterus kurroides</i> | Redtail Scad | Burot/Budloy/Tabilos/Butsawan | - | *220 | - | - | *180 | - | - | - | - | - | - | - | - | - | - | - | - | - | *180 & 220 | *220 | *180 | Navotas | |
| <i>Decapterus macarellus</i> | Mackerel Scad | Balsa | - | 300 | 200-300 | *320 | 300 | - | 200 | - | 300 & 320 | 280 & 300 | 250 | - | - | 280 & 300 | - | 300 | - | 200 | 300 | 320 | 200 | Malabon, Lucena, Navotas, Farmers, Zambales | |
| <i>Decapterus macrosoma</i> | Shortfin Scad | Galunggong (Imported) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | Obando, Navotas, Farmers, Malabon, Vietnam | |
| | | Medium (11-20 pcs) | 260 | 240 | 240 | 260 | 220 | - | 180-200 | 240 | 280 | 280 | *160-170 | - | - | - | - | - | - | 150 | 240 | 280 | 150 | | |
| | | Large (7-10 pcs) | - | - | - | - | - | - | - | - | - | *280 & 300 | - | - | - | - | - | 200 | - | 200 | 200 | *300 | 200 | | Navotas, Malabon, Farmers |
| <i>Decapterus russelli</i> | Indian scad | Galunggong Babae Local | - | - | - | - | - | - | - | - | *300 | - | - | - | - | - | - | - | - | - | *300 | *300 | *300 | Farmers | |
| | | Galunggong Babae Imported | - | - | 200 | *280 | 180 | - | - | - | - | - | - | 200 | - | - | - | 160 | - | 200 | 200 | *280 | 160 | | Navotas, Malabon, Farmers |
| <i>Dendrophysa russelii</i> | Croaker | Alakaak | - | - | - | - | - | - | - | - | - | - | - | - | 300 | - | - | 260 | - | - | 260 & 300 | 300 | 260 | | Lucena, Navotas |
| <i>Elagatis bipinnulata</i> | Rainbow Runner | Salmon/Malasalmon/Salindato/Salmon/Malasolid/Manilaay/Salindat | - | - | 100 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 100 | 100 | 100 | | Malabon |
| <i>Eleutheronema tetradactylum</i> | Fourfinger | Bikaw | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 280 | 280 | 280 | 280 | | Obando |
| <i>Elops hawalensis</i> | Hawaiian ladyfish | Bid-bid | - | - | - | - | - | - | - | - | - | - | - | 210 | - | - | - | - | - | 200 | 200 & 210 | 210 | 200 | | Malabon Fish Port, Obando |
| <i>Gerres sp.</i> | Mojarras | Latab | - | - | - | 380 | - | - | - | - | - | - | - | - | 380 | - | - | - | - | 260 | 380 | 380 | 260 | | Malabon, Lucena |
| <i>Glossogobius giuris</i> | Tank Goby | Pijanga/Bias | - | - | - | 350 | - | - | - | - | - | - | - | 350 | - | 420 | - | 400-480 | - | 200 | 350 | 480 | 200 | | Lucena, Navotas, Rizal, Obando, Malabon |
| <i>Gobiopsis lacustris</i> | Lacustrine Goby | Dulong | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 280 | 320-400 | - | - | 280-400 | 400 | 280 | | Malabon, Navotas |
| <i>Hemiramphus sp.</i> | Halfbeak | Salurasid/Borokon/Suasid/Bugiw/Buging | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | NA |
| <i>Hypaetherina temminckii</i> | Silverside | Dilis/Bolinao | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | NA |
| <i>Holocentrus sp.</i> | Squirrelfish | Siga | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | NA |

| TOP FISHERY COMMODITIES | | | MARKETS | | | | | | | | | | | | | | | | | | NCR | | | | |
|----------------------------------|--------------------------------|--|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|------------------------|------|--|---|
| | | | TRABAJO | QUINTA | COMMONWEALTH | TANDANG SORA | MEGA-Q | FARMERS | BALINTAWAK | MUÑOZ | KAMUNING | GALAS | NAVOTAS 3, 4 & 5 | MALABON CENTRAL | MANDALUYONG | MARIKINA | GUADALUPE | PASIG | MAYPAJO CALOOCAN | POLO PUBLIC MARKET | | | | | |
| Scientific Name | English Name | Local Name | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | High | Low | Summary Source Area | |
| <i>Istiophorus platyterus</i> | Indo-Pacific Sailfish/Sailfish | Malasugi/Marang/Solisogi/Liplipan | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | NA | |
| <i>Jaqora asperata</i> | Snail | Suso pilipit | - | - | - | - | - | - | - | - | - | - | - | 170 | - | 200 | - | 180 | - | - | - | 170-200 | 200 | 170 | Navotas, Cavite |
| <i>Johnius amblycephalus</i> | Croaker | Abu/Alakaak | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | NA | |
| <i>Kyphosus vaigiensis</i> | Brassy Chub | Ilak Danov | - | - | *280 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | *280 | *280 | *280 | Malabon | |
| <i>Lates calcarifer</i> | Sea bass | Apahap | - | - | *250 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | *250 | *250 | *250 | Malabon | |
| <i>Leiognathus sp.</i> | Pony Fish/Slipmouth | Lawayan/Tambong/Sapsap | *200 | - | *400 - 480 | 460 | - | - | - | *120 | - | - | - | 260-380 | 330 | 450-500 | 350-580 | - | 400 | - | 400 | 580 | *120 | Malabon, Quezon, Obando, Navotas, Farmers | |
| <i>Leiopotherapon plumbeus</i> | Silver perch | Ayungin | - | - | - | - | - | - | - | - | - | - | - | - | - | 360 | 400 & 450 | - | 400 | - | - | 400 | 450 | 360 | Farmers, Quezon, Rizal |
| <i>Lethrinus sp.</i> | Emperor fish | Kanuping | - | - | *220 | - | - | - | - | - | *360 | - | - | *220 | - | 360 | - | 300 | - | - | 280 | 280-360 | 360 | *220 | Malabon, Lucena, Farmers, Mindoro |
| <i>Macrobrachium rosenbergii</i> | Giant Freshwater Prawn | Pasayan/Ulang | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | NA | |
| <i>Makaira mazara</i> | Indo-pacific Blue Marlin | Malasugi | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | NA | |
| <i>Makaira nigricans</i> | Blue Marlin | Malasugi/Mantalaan | - | - | - | - | - | - | - | - | - | - | *350 & 380 | - | - | - | - | - | - | - | - | *350 & 380 | *380 | *350 | Bataan |
| <i>Mene maculata</i> | Moonfish | Chabeta/Sapatero/Kadis/Hiwas/Chabita/Pateros/Bilong-Bilong/Tabas/Kunan | - | - | 150 | 320 | 180 & 200 | - | - | *160 | *240 | 400 | 360 | *280 | 220 | 360 | 320 & 400 | 320 | 200 | 160 | 240 | 320 | 400 | 150 | Lucena, Navotas, Malabon Fish Port, Farmers |
| <i>Metapenaeus ensis</i> | Greasy - back shrimp | Suwahe | - | - | - | - | - | - | - | - | - | - | - | - | 440 & 450 | 480 | 400-450 | 520 | 480 | 400 & 420 | - | 400, 450, 480 | 520 | 400 | Lucena, Malabon, Farmers |
| <i>Mugil cephalus</i> | Mullet | Banak | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | NA | |
| <i>Naso unicornis</i> | Bluespine Unicorn Fish | Surahan/Gangis/Indangan/Kais | - | - | *280 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | *280 | *280 | Malabon | |
| <i>Nematolosa nasus</i> | Gizzard shad | Kabasi | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | NA | |
| <i>Nemipterus bathybius</i> | Yellowbelly Threadfin Bream | Bisugo/Saguision/Suga/Olisi | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | NA | |
| <i>Nemipterus sp.</i> | Threadfin Bream | Bisugo | *360 & 480 | *400 | *400 | 400 | - | *380 | - | *360 | 400 & 450 | 400 & 440 | - | 360 | 440 | 400 | - | 360 | 300 | 380 | 400 | *480 | 300 | Lucena, Navotas, Malabon Fish Port, Farmers | |
| <i>Octopus vulgaris</i> | Common Octopus | Kugita/Pugita | - | - | *220 & 240 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | *220 & 240 | *240 | *220 | Malabon |
| <i>Orastosaquilla oratoria</i> | Mantis shrimp | Tatampal pula | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 300 | 300 | 300 | Obando |
| | | Tatampal puti | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | NA |
| <i>Pagellus centrodontus</i> | sea beam | Bakoko | - | - | - | - | - | *250 | - | - | - | - | - | - | - | 400 | - | - | - | - | 300 | 300 & 400 ⁴ | 400 | *250 | Lucena, Obando |
| <i>Pangasius hypothermalms</i> | Cream dory | Pangasius | - | - | - | - | - | - | - | - | - | - | - | - | - | 170 | 180 | - | - | - | - | 170 & 180 | 180 | 170 | Farmers, Navotas |
| <i>Panulirus spp.</i> | Spiny Lobster | Banagan | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | NA |
| <i>Parupeneus sp.</i> | Goatfish | Saramulyete | - | - | - | - | - | - | - | - | - | - | - | - | - | 360 | - | - | - | - | 260 | 260 & 360 ⁵ | 360 | 260 | Obando, Lucena |
| <i>Penaeus semisulcatus</i> | Green tiger prawn | Bulik | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | NA |
| <i>Pila luzonica</i> | Snail | Kuhol | - | - | - | - | - | 80 | - | - | - | - | - | 160 | - | - | 120 | - | - | - | - | 80-160 | 160 | 80 | Parañaque, Bulacan, Sorsogon |
| <i>Priacanthus hamrur</i> | Moontail Bullseye | Bukawon/Budlatan/Bukaw | - | - | *300 | - | - | - | *450 | - | 450 | - | - | - | - | 450 | - | - | 340 | 300 | - | 450 | 450 | 300 | Lucena, Malabon, Navotas |
| <i>Pterocaesio digramma</i> | Double-lined Fusilier | Dalagang Bukid Bilog/Solid | - | - | 320 | 280-380 | - | - | *220 | *280 | 360 | 300 & 360 | *240 & 250 | 240 & 250 | 380 | 380 | 320-350 | 300 | 260-280 | 240 | 380 | 380 | *220 | Malabon Fish Port, Lucena, Navotas, Farmers, Mindoro | |
| <i>Rastrelliger brachysoma</i> | Short-bodied Mackerel | Hasa-hasa/Baraniti/Kabalayas/Kabayas/Agumaa/Gumaa/Boraw | *300 & 380 | *300 | *200 & 400 | *400 & 420 | 350 | 380 | - | 240 | 360 | 400 | *350 | 350 | 360 | 360 | 360 | 300 | - | 260 | 360 | *420 | *200 | Malabon, Lucena, Navotas, Farmers | |
| <i>Salmo salar</i> | Atlantic Salmon | Salmon | | | | | | | | | | | | | | | | | | | | | | | |
| | | head | 200 | *200 & 220 | 200 | *200 & 240 | 170 | *160 | *170 & 190 | - | - | - | - | 150 | 200 | 300 | - | 150 | 240 | 160 | 200 | 300 | 150 | | Quezon, Navotas, Obando, Farmers |
| | | belly | 200 | - | 300 - 400 | *420 & 440 | *400 | *350 | - | - | - | - | - | 360 | 440 | 400 | - | 360 | - | 400 | 400 | 440 | 200 | | Malabon Fish Port, Quezon, Navotas, Farmers |
| | | meat/ sliced | - | - | - | *850 | - | - | - | - | - | - | - | 800 | 900 | 880 | - | 700 | 800 | - | 800 | 900 | 700 | | Malabon, Quezon, Farmers, Navotas |

| TOP FISHERY COMMODITIES | | | MARKETS | | | | | | | | | | | | | | | | | | NCR | | | |
|-------------------------------|------------------------------|---|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|------|------|--|
| | | | TRABAJO | QUINTA | COMMONWEALTH | TANDANG SORA | MEGA-Q | FARMERS | BALINTAWAK | MUÑOZ | KAMUNING | GALAS | NAVOTAS 3, 4 & 5 | MALABON CENTRAL | MANDALUYONG | MARIKINA | GUADALUPE | PASIG | MAYPAJO CALOOCAN | POLO PUBLIC MARKET | | | | |
| Scientific Name | English Name | Local Name | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | High | Low | Summary Source Area |
| <i>Sardinella tawilis</i> | Freshwater tawilis | Tawilis/ Salinyasi | - | *120 | 160 | *180 & 200 | - | 100 & 120 | - | - | - | - | - | 120 | - | 160 | 140 | 200 | - | 120 | 120 | 200 | 100 | Navotas, Farmers, Obando, Tagaytay, Malabon, Luceana |
| <i>Scarus sp.</i> | Parrotfish | Mul-Mol/Mol-mol/Batagon | - | - | *150 | - | - | - | - | *240 | - | - | - | - | - | - | - | - | - | - | *150 & 240 | *240 | *150 | Malabon, Luceana |
| <i>Scotophagus argus</i> | Spotted Scad | Kapiged/Kitang | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 280 | 280 | 280 | Malabon |
| <i>Scomber japonicus</i> | Chub Mackerel | Salmon | - | *180 | - | - | 160 | - | 120 | *200 | - | 160 | - | 220 | - | - | - | 130 | - | 200 | 160 | 220 | 120 | Navotas, Obando, Malabon |
| <i>Selar crumenophthalmus</i> | Big-eye Scad | Matangbaka/Matambaka/Matan/Salay-salay/Tamarong/Tulay/Kutob | *380 | - | *360 & 420 | *320 & 380 | - | 250-300 | - | *200 & 360 | 400 | 360 | - | 350 | - | 340 | 300 | 200 | 200-240 | 200 | 200 | *420 | 200 | Malabon Fish Port, Lucena, Navotas, Farmers |
| <i>Selaroides leptolepis</i> | Yellow-striped Scad | Salay-salay/Salaginto/Salay-ginto/Daliman/Lambiyaw/Karabalyas | - | - | 260 - 360 | *320 | - | 250-300 | *160 | - | 320 | *360 | *250 | - | 360 | 340 | - | 300 | 360 | 240 | 360 | 360 | *160 | Lucena, Malabon, Navotas, Farmers |
| <i>Siganus canaliculatus</i> | White-spotted Spinefoot | Malaga/Danggit/Samaral/Tambol/Hamol-od/Kitong | *400 | - | *300 | *400 | - | - | *200 | 360 | - | - | *200 | - | - | - | - | - | - | - | 360 | *400 | *200 | Malabon, Navotas, Mindoro |
| <i>Siganus virgatus</i> | Barhead Spinefoot | Daragbago | - | - | *240 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | *240 | *240 | *240 | Malabon |
| <i>Siganus vermiculatus</i> | Vermiculated spinefoot | Malaga | - | - | *300 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | *300 | *300 | *300 | Malabon |
| <i>Siganus sp.</i> | Spinefoot/Rabbitfish/Siganid | Bataway/Danggit/Bawis/Malaga | - | - | - | - | - | - | - | - | - | - | - | - | 420 | 500 | - | - | - | 350 | 350-500 * | 500 | 350 | Malabon Fish Port, Lucena |
| <i>Sillago sihama</i> | Whiting | Asohos | - | - | - | - | - | - | - | - | - | - | - | - | 400 | 400 & 450 | 300 | 360 | 360 | 280 | 360 & 400 | 450 | 280 | Malabon, Lucena, Navotas, Farmers |
| <i>Sphyaena sp.</i> | Barracuda | Panghalwan/Lusod/Rumpi | - | - | *240 | - | - | - | - | - | - | - | *250 | 320 | 360 | 300 & 350 | - | 260 | - | 300 | 300 | 360 | *240 | Malabon, Lucena, Navotas |
| <i>Stolephorus sp.</i> | Anchovy | Dilis/Bolinao/Tuwakang/Bawdon | - | - | 200 | *200 | - | - | *160 | - | - | - | 80-160 | 120 & 130 | - | - | - | 200 | 120 | 280 | 120 & 200 | 280 | 80 | Navotas, Malabon |
| <i>Teuthida sp.</i> | Squid | Pusit | *500 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | *500 | *500 | *500 | Navotas |
| <i>Trachinotus blochii</i> | Silver Pompano | Pompano Puti | *380 & 400 | 380-420 | 400 | 440 | *420 | 350-360 | 400 | *380 | 450 | 440 | - | 450 | 400 | 420 | 400 | 400 | 400 | 400 | 400 | 550 | 350 | Malabon Fish Port, Navotas, Lucena, Farmers, Obando |
| <i>Parastromateus niger</i> | Black Pompano | Pompano Itim | - | - | - | - | - | - | - | - | *550 | - | 300 | 300 | 500 | 450 | - | - | - | - | 300 | *550 | 300 | Lucena, Malabon, Farmers, Navotas |
| <i>Trichiurus lepturus</i> | Largehead Hairtail | Espada/Pingka/Langkoy Lahing/Diwit | - | - | *240 | - | - | - | - | - | *400 | *500 | *300 | 350 | 380-400 | 400 | 280 | - | - | 240 | 400 | *500 | 240 | Malabon Fish Port, Lucena, Farmers, Navotas |
| <i>Tylosurus crocodilus</i> | Hound Needlefish | Balo/Bawo | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | NA |
| <i>Tylosorus sp.</i> | Needlefish | Batalay | - | - | *160 | - | - | - | - | - | - | - | *160 & 180 | - | 400 | - | - | - | - | - | 400 | 400 | *160 | Lucena, Malabon, Mindoro |
| <i>Upeneus mollicensis</i> | Goldband Goatfish | Saramulyete/Balaki/Timbangan/Talikkod/Hinok | - | - | *200 | *300 | - | - | *280 & 320 | *320 | - | - | *180 & 280 | - | 360 | - | - | - | - | 300 | 300 & 360 | 360 | *180 | Lucena, Malabon, Farmers, Mindoro |
| <i>Venerupis sp.</i> | Clam | Halaan | - | - | 120 | - | - | - | - | - | - | - | *50 | 130 | - | 200 | 200 | 120 | 100 | 120 | 120 | 200 | *50 | Lucena, Cavite, Paranaque, Obando, Malabon, Navotas |

The following observations were gathered from market personnel and vendors this week:

- For local-fresh galunggong lalaki (*Decapterus macrossoma*), availability of the supplies remained low as only eight (8) out of the 18 monitored retail markets have supply. This may be caused by the implementation of Closed Fishing Season for galunggong in Northern Palawan (major source area) that will conclude on 31 January 2024. The prevailing retail price was at Php240.00 and Php280.00/kg this week with supplies mostly sourced from Malabon Fish Port and Lucena. Other local galunggong variants like "balsa" (*Decapterus macarellus*), "babae" (*Decapterus russelli*) and "burot" (*Decapterus kurroides*) were noted in some of the monitored retail markets this week.
- Relative to the minimal volume of supply for local-fresh galunggong, sufficient availability of imported-frozen galunggong lalaki were noted in most of the monitored markets this week. Fish vendors opt to purchase imported-frozen galunggong as it serves as a substitute commodity whenever there is a minimal availability of local-fresh galunggong in monitored markets. The prevailing retail price of imported-frozen galunggong was at Php240.00/kg this week. Other imported-frozen commodities like pampano, salmon mackerel, salmon head & belly, pusit kalawang, and tulingan were noted in the market.
- Most of the supplies of alumahan in the monitored markets were large size. Lesser supplies were noted due to the implementation of Closed Fishing Season at Visayan Sea (for sardines, herrings, and mackerel). The prevailing retail price was at Php360.00/kg and were mostly sourced from Navotas and Malabon Fish Ports.
- There is a slight increased in the prevailing retail price of bangus at an average of Php185.00/kg this week. According to fish vendors, the increase may be due to the higher demand from consumers this holiday season. Some markets prefer selling larger bangus due to higher demand from consumers.
- For medium-sized tilapia, higher prevailing retail price at Php160.00/kg were also noted this Christmas holiday. Nonetheless, supply of tilapia remained sufficient at the monitored retail markets. Some of the buyers still prefer tilapia sourced from Batangas due to the commodity's quality (in terms of taste and appearance). There is still a Php20-30.00/kg price difference between live and fresh-chilled tilapia.
- According to the fish vendors, fish demand from customers/ buyers continues to increase due to the onset of the holiday season.
- Top fishery commodities in the eighteen (18) monitored retail markets are sourced mainly from the following areas:
 - Bangus - Bulacan, Pangasinan
 - Tilapia - Batangas, Pampanga
 - Local Galunggong - Lucena, Navotas & Malabon Fish Ports
 - Alumahan - Lucena & Malabon Fish Port

| TOP FISHERY COMMODITIES | | | MARKETS | | | | | | | | | | | | | | | | | | NCR | | | | | |
|---|--------------|------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|------|-----|---------------------|--|
| | | | TRABAJO | QUINTA | COMMONWEALTH | TANDANG SORA | MEGA-Q | FARMERS | BALINTAWAK | MUÑOZ | KAMUNING | GALAS | NAVOTAS 3, 4 & 5 | MALABON CENTRAL | MANDALUYONG | MARIKINA | GUADALUPE | PASIG | MAYPAJO CALOOCAN | POLO PUBLIC MARKET | | | | | | |
| Scientific Name | English Name | Local Name | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | Prevailing Price (Php/kg) | High | Low | Summary Source Area | |
| <p>Fluctuation in the prices of the top fifteen (15) and other commodities is influenced by a number of factors such as the commodity's size, quality, volume of supply, source area, as well as the weather condition and other natural phenomena.</p> <p>1. <i>Penaeus monodon</i> - Sugpo (Medium) - (Php650 & 1200) - lowest prevailing price of Php650.00/kg were recorded at Malabon Market where supplies were sourced directly from nearby Fish Port (e.g., Malabon Fish Port), hence, the lower price. Highest prevailing price of Php1200.00/kg was noted at Polo Market where supplies recorded were in good quality, hence, the higher price.</p> <p>2. <i>Scomberomorus commerson</i> or Tangigue (sliced) - (Php400 - 800/kg) - lowest prevailing price of Php650.00/kg were recorded at Malabon Market where supplies were sourced directly from nearby Fish Port (e.g., Malabon Fish Port), hence, the lower price. Highest prevailing price of Php800.00/kg was noted at a secondary market (i.e., Marikina Market) where supplies are mainly sourced from primary market, hence, the higher price.</p> <p>3. <i>Gobiopterus lacustris</i> or Dulong - (Php280 - 400/kg) - lowest prevailing price of Php280.00/kg were recorded at Guadalupe Market where supplies were not in good quality (supplies from previous days), hence, the lower price. Highest prevailing price of Php400.00/kg was noted at Pasig Market where supplies recorded were in good quality, hence, the higher price.</p> <p>4. <i>Pagellus centrodontus</i> or Bakoko - (Php300.00 & 400.00/kg) - lowest prevailing price of Php300.00/kg were recorded at Polo Market where supplies were sourced directly from nearby Fish Port (e.g., Navotas Fish Port), hence, the lower price. Highest prevailing price of Php400.00/kg was noted at a secondary market (i.e., Mandaluyong Market) where supplies are mainly sourced from primary market, hence, the higher price.</p> <p>5. <i>Parupeneus sp.</i> or Saramulyete - (Php260.00 & 360.00/kg) - lowest prevailing price of Php260.00/kg were recorded at Polo Market where supplies were sourced directly from nearby Fish Port (e.g., Navotas Fish Port), hence, the lower price. Highest prevailing price of Php360.00/kg was noted at a secondary market (i.e., Mandaluyong Market) where supplies are mainly sourced from primary market, hence, the higher price.</p> <p>6. <i>Siganus sp.</i> or Bataway - (Php350.00 & 500.00/kg) - lowest prevailing price of Php350.00/kg were recorded at Polo Market where supplies were sourced directly from nearby Fish Port (e.g., Navotas Fish Port), hence, the lower price. Highest prevailing price of Php500.00/kg was noted at Marikina Market where supplies recorded were in good quality, hence, the higher price.</p> | | | | | | | | | | | | | | | | | | | | | | | | | | |

(-) - Price and Volume not available during price monitoring

(*) - Actual Price - price data collected did not reach the minimum requirement of three (3) samples per commodity per market. This could be due to limited volumes or no available supplies at the time of monitoring.

NA - Source Area not available during price monitoring

Markets 1-10 (Trabajo to Galas) - Monitored by BFAF-FIDSSD (CO) Enumerators

Markets 11-16 (Malabon Central to Ugong Valenzuela) - Monitored by BFAF-NCR Enumerators

MONITORED BY:

SGD
QUEEN D. BESMONTE
Enumerator

SGD
DANIELLE CLARISSE G. GONZALES
Enumerator

SGD
ANNIE P. CONCEPCION
Enumerator

SGD
ABELARDO V. ESTRELLES
Enumerator

SGD
IONATHAN A. MADERA
Enumerator

SGD
LARRA BELL V. PARACUELLES
Enumerator

CONSOLIDATED BY:

SGD
DAVE P. GUZMAN
Enumerator/NCR Consolidator

REVIEWED BY:

SGD
SITTI SHEHA H. IRIN
Reviewer
1st Level

SGD
FARRAMAE C. FRANCISCO
Chief, MAS
2nd Level

NOTED BY:

SGD
AMOR G. DIAZ
Chief, FIDSSD